

DOLORE

TRATTAMENTO

Oppioidi

DOLORE EPISODICO INTENSO

- ASHBURN MA, SLEVIN KA, MESSINA J ET AL: *The efficacy and safety of fentanyl buccal tablet compared with immediate-release oxycodone for the management of breakthrough pain in opioid-tolerant patients with chronic pain.* Pain Med 112(3): 693-702, 2013.
- BHATNAGAR S, DEVI S, VINOD NK ET AL: *Safety and efficacy of oral transmucosal fentanyl citrate compared to morphine sulphate immediate release tablet in management of breakthrough cancer pain.* Indian J Palliative Care 20(3): 182-187, 2014.
- CHRISTIE JM, SIMMONDS M, PATT R ET AL: *Dose-titration, multicenter study of oral transmucosal fentanyl citrate for the treatment of breakthrough pain in cancer patients using transdermal fentanyl for persistent pain.* J Clin Oncol 16: 3238-3245, 1998.
- COLLINS SL, FAURA CC, MOOR RA, MCQUAY HJ: *Peak plasma concentrations after oral morphine: a systematic review.* J Pain Symptom Manage 16: 388-402, 1998.
- COLUZZI PH, SCHWARTZBERG L, CONROY JR JD ET AL: *Breakthrough cancer pain: a randomized trial comparing oral transmucosal fentanyl citrate (OTCF) and morphine sulfate immediate release (MSIR).* Pain 91: 123-130, 2001.
- FARRAR JT, CLEARLY J, RAUCK R ET AL: *Oral transmucosal fentanyl citrate: randomized, double-blinded, placebo-controlled trial for treatment of breakthrough pain in cancer patients.* J Natl Cancer Inst 90: 611-616, 1998.
- FREYE E, LEVY JV, BRAUN D: *Effervescent morphine results in faster relief of breakthrough pain in patients compared to immediate release morphine sulfate tablet.* Pain Pract 7: 324-331, 2007.
- GABRAIL NY, BURTON AW, REYES E ET AL: *The efficacy, tolerability, and speed of onset of fentanyl pectin nasal spray (FPNS) in the treatment of breakthrough cancer pain (BTCP): a multicenter, placebo controlled, double-blind, two phase crossover study.* Proc ASCO annual meeting 2009, J Clin Oncol 27(15 s): abstr 9535, 2009.
- GOOD P, JACKSON K, BRUMLEY D, ASHBY M: *Intranasal sufentanil for cancer-associated breakthrough pain.* Palliat Med 23: 54-58, 2009.
- HAGEN NA, FISHER K: *Sublingual methadone for the management of cancer-related breakthrough pain: a pilot study.* J Palliat Med 10: 331-337, 2007.
- JACOBSON SJ, KOPECKY EA, JOSHI P, BABUL N: *Randomized trial of oral morphine for painful episodes of sickle-cell disease in children.* Lancet 350: 1358-1361, 1997.
- KAPOOR R, FINN A, BLUM E, GIEFER E: *Rapid, effective, and sustained control of breakthrough pain (BTP) in cancer patients treated with BEMA (BioErodible MucoAdhesive) fentanyl.* Proc ASCO annual meeting 2008, J Clin Oncol 26(20 s): abstr 9600, 2008.
- KOSUGI T, HAMADA S, TAKIGAWA C ET AL: *A randomized, double-blind, placebo-controlled study of fentanyl buccal tablets for breakthrough pain: efficacy and safety in Japanese cancer patients.* J Pain Symptom Manage 47(6): 990-1000, 2014.
- MERCADANTE S, RADBRUCH L, CARACENI A ET AL: *Episodic (breakthrough) pain. Consensus conference of an expert working group of the European Association for Palliative Care.* Cancer 94: 832-839, 2002.
- MERCADANTE S, VILLARI P ET AL: *Transmucosal fentanyl vs intravenous morphine in doses proportional to basal opioid regimen for episodic-breakthrough pain.* Br J Cancer 96(12): 1828-1833, 2007.
- MERCADANTE S, PRESTIA G, ADILE C ET AL: *Intranasal fentanyl versus fentanyl pectin nasal spray for the management of breakthrough cancer pain in doses proportional to basal opioid regimen.* J Pain 15(6): 602-607, 2014.
- MERCADANTE S, ADILE C, CUOMO A ET AL: *Fentanyl buccal tablet vs oral morphine in doses proportional to the basal opioid regimen for the management of breakthrough cancer pain: a randomized, crossover, comparison study.* J Pain Symp Man 50(5): 579-586, 2015.
- NOVOTNA S, VALENTOVA K, FRICOVA J ET AL: *A randomized, placebo-controlled study of a new sublingual formulation of fentanyl citrate (fentanyl ethypharm) for breakthrough pain in opioid-treated patients with cancer.* Clin Ther 36(3): 357-367, 2014.

- PORTENOY RK, PAYNE R, COLUZZI P ET AL: *Oral transmucosal fentanyl citrate (OTCF) for the management of breakthrough pain in cancer patients: a controlled dose titration study*. Pain 79: 303-312, 1999.
- PORTENOY RK, TAYLOR D, MESSINA J, TREMMEL L: *A randomized, placebo-controlled study of fentanyl buccal tablet for breakthrough pain in opioid-treated patients with cancer*. Clin J Pain 22: 805-811, 2006.
- PORTENOY RK, MESSINA J, XIE F, PEPPIN J: *Fentanyl buccal tablet (FBT) for relief of breakthrough pain in opioid-treated patients with chronic low back pain: a randomized, placebo-controlled study*. Curr Med Res Opin 23: 223-233, 2007.
- RAUCK R, TARK M, REYES E ET AL: *Efficacy and long term tolerability of sublingual fentanyl orally disintegrating tablet in the treatment of breakthrough cancer pain*. Current Medical Research and Opinion 25(12): 2877-2885, 2009.
- RAUCK R, REYNOLDS L, GEACH J ET AL: *Efficacy and safety of fentanyl sublingual spray for the treatment of breakthrough cancer pain: a randomized double-blind, placebo-controlled study*. Curr Med Res Opin 28(5): 859-870, 2012.
- SHIMOYAMA N, GOMYO I, KATAKAMI N ET AL: *Efficacy and safety of sublingual fentanyl orally disintegrating tablet at doses determined by titration for the treatment of breakthrough pain in Japanese cancer patients: a multicenter, randomized, placebo-controlled, double-blind phase III trial*. Int J Clin Oncol 20(1): 198-206, 2014.
- SIMPSON DM, MESSINA J, XIE F, HALE M: *Fentanyl buccal tablet for the relief of breakthrough pain in opioid-tolerant adult patients with chronic neuropathic pain: a multicenter, randomized, double-blind, placebo-controlled study*. Clin Therapeut 29(4): 588-601, 2007.
- SLATKIN NE, XIE F, MESSINA J, SEGAL TJ: *Fentanyl buccal tablet for relief of breakthrough pain in opioid-tolerant patients with cancer-related chronic pain*. J Support Oncol 5: 327-334, 2007.
- VELÁZQUEZ RIVERA I, MUÑOZ GARRIDO JC, GARCÍA VELASCO P ET AL: *Efficacy of sublingual fentanyl vs oral morphine for cancer-related breakthrough pain*. Adv Ther 31(1): 107-117, 2014.

GESTIONE DEGLI EFFETTI AVVERSI

- BECKER G, BLUM HE: *Novel opioid antagonist for opioid-induced bowel dysfunction and postoperative ileus*. Lancet 373: 1198-1206, 2009.
- BRUERA E, MILLER MJ, MACMILLAN K, KUEHN N: *Neuropsychological effects of methylphenidate in patients receiving a continuous infusion of narcotics for cancer pain*. Pain 48: 163-166, 1992.
- BUCHLER MW, SEILER CM, MONSON JRT ET AL: *Clinical trial: alvimopan for the management of post-operative ileus after abdominal surgery: results of an international randomized, double blind, multicentre, placebo-controlled clinical study*. Aliment Pharmacol Ther 28: 312-325, 2008.
- FORREST WH JR, BROWN BW JR, BROWN CR ET AL: *Dextroamphetamine with morphine for the treatment of postoperative pain*. N Engl J Med 296: 712-715, 1977.
- HAWLEY PH, BYEON JJ: *A comparison of semiosides-based bowel protocols with and without docusate in hospitalized patients with cancer*. J Palliat Med 11: 575-581, 2008.
- LAWLOR PG: *The panorama of opioid-related cognitive dysfunction in patients with cancer: a critical literature appraisal*. Cancer 94: 1936-1953, 2002.
- LOTSCH J, SKARKE C, SCHNEIDER A ET AL: *The 5-hydroxytryptamine 4 receptor agonist mosapride does not antagonize morphine-induced respiratory depression*. Clin Pharmacol Ther 78: 278-287, 2005.
- LOWENSTEIN O, LEYENDECKER P, HOPP M ET AL: *Combined prolonged-release oxycodone and naloxone improves bowel function in patients receiving opioids for moderate to severe non malignant chronic pain: a randomized controlled trial*. Expert Opin Pharmacother 10: 531-543, 2009.
- LUDWIG K, ENKER WE, DELANEY CP ET AL: *Results of a randomized trial of alvimopan and placebo with standardized accelerated postoperative care pathway*. Arch Surg 143: 1098-1105, 2008.
- MEISSNER W, LEYENDECKER P, MUELLER-LISSNER S ET AL: *A randomised controlled trial with prolonged release oral oxycodone and naloxone to prevent and reverse opioid-induced constipation*. Eur J Pain 13: 56-64, 2009.
- OERTEL BG, SCHNEIDER A, ROHRBACHER M ET AL: *The partial 5-hydroxytryptamine_{1A} receptor agonist buspirone does not antagonize morphine-induced respiratory depression in humans*. Clin Pharmacol Ther 81: 5968, 2007.
- REISSIG JE, RYBARCZYK AM: *Pharmacologic treatment of opioid-induced sedation in chronic pain*. Ann Pharmacother 39: 727-731, 2005.
- SIMPSON K, LEYENDECKER P, HOPP M ET AL: *Fixed-ratio combination oxycodone/naloxone compared with oxycodone alone for the relief of opioid-induced constipation in moderate to severe non-cancer pain*. Curr Med Res Opin 24: 3503-3512, 2008.
- SLATKIN N, RHINER M: *Treatment of opioid-induced delirium with acetylcholinesterase inhibitors: a case report*. J Pain Symptom Manage 27: 268-273, 2004.
- SLATKIN N, THOMAS J, LIPMAN AG ET AL: *Methylnaltrexone for treatment of opioid-induced constipation in advanced illness patients*. J Support Oncol 7: 39-46, 2009.
- SLATKIN NE, RHINER M: *Treatment of opiate-related sedation: utility of the cholinesterase inhibitors*. J Support Oncol 1: 53-63, 2003.

- TWYXCROSS RG, McNAMARA P, SCHUIJT C ET AL: *Sodium picosulfate in opioid-induced constipation: results of an open-label, prospective, dose-ranging study*. Palliat Med 20: 419-423, 2006.
- WILWERDING MB, LOPRINZI CL, MAILLIARD JA ET AL: *A randomized, crossover evaluation of methylphenidate in cancer patients receiving strong narcotics*. Supp Care Cancer 3: 135-138, 1995.

Farmaci adiuvanti

CANNABINOIDI

- CICHEWICZ DL, MARTIN ZL, SMITH FL ET AL: *Enhancement mu opioid antinociception by oral delta 9-tetrahydrocannabinol: dose-response analysis and receptor identification*. J Pharmacol Exp Ther 289(2): 859-867, 1999.
- CORREA F, MESTRE L, MOLINA-HOLGADO E ET AL: *The role of cannabinoid system on immune modulation: therapeutic implications on CNS inflammation*. Mini Rev Med Chem 5: 671-675, 2005.
- DECRETO MINISTERIALE 9 NOVEMBRE 2015: *Funzioni di Organismo statale per la cannabis previsto dagli articoli 23 e 28 della convenzione unica sugli stupefacenti del 1961, come modificata nel 1972*. Gazzetta Ufficiale 30 novembre 2015, serie generale numero 279.
- HAZEKAMP A, BASTOLA K, RASHIDI H ET AL: *Cannabis tea revisited: a systematic evaluation of the cannabinoid composition of cannabis tea*. J Ethnopharm 113: 85-90, 2007.
- SZABO B, SCHLICKEE E: *Effects of cannabinoids on neurotransmission*. Handb Exp Pharmacol 168: 327-365, 2005.
- VERESS T, SZANTO JI, LEISZTNER L: *Determination of cannabinoid acids by high-performance liquid chromatography of their neutral derivatives formed by thermal decarboxylation in an open reactor*. J Chromatogr 520: 339-347, 1990.
- WALKER JM, HOHMANN AG ET AL: *The neurobiology of cannabinoids analgesia*. Life Sci 65: 665-673, 1999.

Tecniche anestesilogiche e antalgiche strumentali

- ARCURI E: *Neurolesione di strutture nervose intracraniche*. In: MERCADANTE S, RIPAMONTI C (EDS), *Valutazione, diagnosi e trattamento del dolore da cancro*. Masson, Milano, 2001.
- BAKER L, LEE M, REGNARD C ET AL: *Evolving spinal analgesia practice in palliative care*. Palliat Med 18: 507, 2004.
- BENEDETTI C, BROCK C, CLEELAND C ET AL: *NCCN practice guidelines for cancer pain*. Oncology 14: 135, 2000.
- BENNETT G, BURCHIEL K, BUCHSER E ET AL: *Clinical guidelines for intraspinal infusion: report of an expert panel. Poly-analgesic consensus conference 2000*. J Pain Symptom Manage 20: S37, 2000.
- BUCHBINDER R, OSBORNE RH: *Vertebroplasty: a promising but yet unproven intervention for painful osteoporotic spinal fractures*. MJA 185: 351, 2006.
- CRUL BJ, DELHAAS E: *Technical complications during long term subarachnoid or epidural administration of morphine in terminally ill cancer patients*. Reg Anaesth 16: 209, 1991.
- CRUL BJ, BLOK LM, VAN EGMOND J, VAN DONGEN RT: *The present role of percutaneous cervical cordotomy for the treatment of cancer pain*. J Haedache Pain 6: 24, 2005.
- DE CONNO F, CARACENI A, VENTAFRIDA V ET AL: *Paraplegia following coeliac plexus block*. Pain 55: 383, 1993.
- DELFINO U, TROMPEO MA, BELTRUTTI D ET AL: *La neurolisi alcolica selettiva del ganglio di Gasser nella nevralgia trigeminale*. Minerva Anaesthesiol 44: 405, 1978.
- EISENBERG E, CARR DB, CHALMERS TC: *Neurolytic celiac plexus block for treatment of cancer pain: a meta-analysis*. Anesth Analg 80: 290, 1995.
- EXNER HJ, PETERS J, EIKERMANN M: *Epidural analgesia at end of life: facing empirical contraindications*. Anesth Analg 87: 1740, 2003.
- FERRANTE FM: *Neuraxial infusion in the management of cancer pain*. Oncology 13(5 suppl 2): 30, 1999.
- GYBELS J, ERDINE S, MAEYAERT J ET AL: *Neuromodulation of pain. A consensus statement prepared in Brussels 16-18 January 1998 by the following task force of the European Federation of ISAP Chapters (EFIC)*. Eur J Pain 2: 203, 1998.
- KAMPOLAT Y, SAVES A, COLGAR S ET AL: *Computerized tomography-guided percutaneous bilateral selective cordotomy*. Neurosurg Focus 2: e4, 1997.
- KAMPOLAT Y, SAVES A, UCAR T, TORUM F: *CT-guided percutaneous selective cordotomy for treatment of intractable pain in patients with malignant pleural mesothelioma*. Acta Neurochir 144: 595, 2002.
- KRAMES ES: *Intrathecal infusional therapies for intractable pain patient management guidelines*. J Pain Symptom Manage 8: 36, 1993.
- KRAMES ES: *Interventional pain management: appropriate when less invasive therapies fail to provide adequate analgesia*. Med Clin North Am 83: 787, 1999.

- MARCY PY, MAGNE N, DESCAMPS B: *Coeliac plexus block: utility of the anterior approach and the real time colour ultrasound guidance in cancer pain*. Eur J Surg Oncol 27: 746, 2001.
- MATHIS JM, ORTIZ AO, ZOARSKI GH: *Vertebroplasty versus kyphoplasty: a comparison and contrast*. AJNR 25: 840, 2004.
- MERCADANTE S: *Problems of long-term spinal opioid treatment in advanced cancer patients*. Pain 79: 1, 1999.
- MERCADANTE S, ARCURI E, FERRERA P ET AL: *Alternative treatments of breakthrough pain in patients receiving spinal analgesics for cancer pain*. J Pain Symptom Manage 30: 485, 2005.
- MERCADANTE S, PORZIO S, GEBBIA V: *Intravenous morphine for breakthrough (episodic-) pain in an acute palliative care unit: a confirmatory study*. JPSM 35(3): 307-312, 2008.
- MIGUEL R: *Interventional treatment of cancer pain: the fourth step in the World Health Organization analgesic ladder?* Cancer Control 7: 149, 2000.
- NITESCU P, DAHM P, APPELGREN L ET AL: *Continuous infusion of opioids and bupivacaine by externalized catheters in long-term treatment of "refractory" non-malignant pain*. Clin J Pain 14: 17, 1998.
- RAUCH RL, CHERRY D, BOYER MF ET AL: *Long-term intrathecal opioid therapy with a patient-activated, implanted delivery system for the treatment of refractory cancer pain*. J Pain 8: 441, 2003.
- RIPAMONTI C, BRUNELLI C: *Letter to the editor*. JCO 21: 2801, 2003.
- STAATS PS: *Neuraxial infusion for pain control: when, why, and what to do after the implant*. Oncology 13(5 suppl 2): 58, 1999.
- STAATS PS, YEARWOOD T, CHARAPATA SG ET AL: *Intrathecal ziconotide in the treatment of refractory pain in patients with cancer or AIDS*. JAMA 291: 63, 2003.
- VAN DONGEN RTM, CRUL BJP: *Paraplegia following coeliac plexus block*. Anaesthesia 46: 862, 1991.
- WU CL: *Regional anesthesia and anticoagulation*. J Clin Anesth 13: 49, 2001.
- YAN BM, MYERS RP: *Neurolytic celiac plexus block for pain control in unresectable pancreatic cancer*. Am J Gastroenterol 102: 430, 2007.
- YEGUL I, ERHAN H: *Bilateral CT-guided percutaneous cordotomy for cancer pain relief*. Clin Radiol 58: 886, 2003.
- ZECH DFJ, GROND S, LYNCH J ET AL: *Validation of World Health Organization guidelines for cancer pain relief: a 10-year prospective study*. Pain 63: 65, 1995.

CACHESSIA, ANORESSIA E DISTURBI NUTRIZIONALI

- BAUER J, CAPRA S, DAVIES PSW: *Estimation of total body water from foot-to-foot bioelectrical analysis in patients with cancer cachexia-agreement between three prediction methods and deuterium oxide dilution*. J Hum Nutr Diet 18: 295-300, 2005.
- BRUERA E, BENZILE M, NEUMANN C ET AL: *A double blind cross-over study of controlled-release metoclopramide and placebo for the chronic nausea and dyspepsia of advanced cancer*. J Pain Symptom Manage 19(6): 427-435, 2000.
- DAVIS MP, DREICER R, WALSH D ET AL: *Appetite and cancer associated anorexia: a review*. J Clin Oncol 22: 1510-1517, 2004.
- ESPOSITO A, CRISCITIELLO C, GELAO L ET AL: *Mechanisms of anorexia-cachexia syndrome and rationale for treatment with selective ghrelin receptor agonist*. Cancer Treat Rev 41: 793-797, 2015.
- FORREST LM ET AL: *A prospective longitudinal study of performance status, an inflammation-based score (GPS) and survival in patients with inoperable non-small-cell lung cancer*. Br J Cancer 92: 1834-1836, 2005.
- MALTONI M, NANNI O, SCARPI E ET AL: *High-dose progestins for the treatment of cancer anorexia-cachexia syndrome: a systematic review of randomized clinical trials*. Ann Oncol 12: 289-300, 2001.
- MALTONI M, SCARPI E, PITTURERI C ET AL: *Prospective comparison of prognostic scores in palliative care cancer populations*. Oncologist 17: 446-454, 2012.
- MANTOVANI G: *Anorexia e calo ponderale*. In: LELLI G (ED), *Sintomi segnale in oncologia clinica (fisiopatologia, diagnosi e terapia)*. Monduzzi, Bologna, 15-23, 2005.
- MERCADANTE S: *Sindromi sistemiche e situazioni specifiche cachexia-anorexia*. *Cure palliative e di supporto in oncologia*. Minerva Medica, Torino, 251-257, 2016.
- RAVASCO P, MONTEIRO-GRILLO I, VIDAL PM ET AL: *Dietary counseling improves patient outcomes: a prospective, randomized, controlled trial in colorectal cancer patients undergoing radiotherapy*. J Clin Oncol 23: 1431-1438, 2005.
- SOCIETÀ ITALIANA DI NUTRIZIONE ARTIFICIALE E METABOLISMO (SINPE): *Linee guida per l'impiego della nutrizione artificiale ospedaliera*. RINPE 20: S5, 2002.
- THEOBALD DE, KIRSH KL, HOLTSCLAW E ET AL: *An open-label, crossover trial of mirtazapine (15 and 30 mg) in cancer patients with pain and other distressing symptoms*. J Pain Symptom Manage 23: 442-447, 2002.

ASTENIA

- ANAND D, ESCALANTE CP: *Ongoing screening and treatment to potentially reduce tyrosine kinase inhibitor-related fatigue in renal cell carcinoma*. J Pain Symptom Manage 50(1): 108-117, 2015.
- BENNETT S, PIGOTT A, BELLER EM ET AL: *Educational interventions for the management of cancer-related fatigue in adults*. Cochrane Database Syst Rev 11: CD008144, 2016.
- CORBETT T, DEVANE D, WALSH JC ET AL: *Protocol for a systematic review of psychological interventions for cancer-related fatigue in post-treatment cancer survivors*. Syst Rev 4: 174, 2015. doi: 10.1186/s13643-015-0160-x.
- EYOB T, NG T, CHAN R ET AL: *Impact of chemotherapy on cancer-related fatigue and cytokines in 1,312 patients: a systematic review of quantitative studies*. Curr Opin Support Palliat Care 10(2): 165-179, 2016.
- KIM S, MILLER BJ, STEFANEK ME ET AL: *Inflammation-induced activation of the indoleamine 2,3-dioxygenase pathway: relevance to cancer-related fatigue*. Cancer 121(13): 2129-2136, 2015.
- MOHANDAS H, JAGANATHAN SK, MANI MP ET AL: *Cancer-related fatigue treatment: an overview*. J Cancer Res Ther 13(6): 916-929, 2017.
- NAVIGANTE A, MORGADO PC: *Does physical exercise improve quality of life of advanced cancer patients?* Curr Opin Support Palliat Care 10(4): 306-309, 2016.
- O'HIGGINS CM, BRADY B, O'CONNOR B ET AL: *The pathophysiology of cancer-related fatigue: current controversies*. Support Care Cancer 26(10): 3353-3364, 2018.
- PEARSON EJM, MORRIS ME, DI STEFANO M ET AL: *Interventions for cancer-related fatigue: a scoping review*. Eur J Cancer Care (Engl) 27(1), 2018. doi: 10.1111/ecc.12516.
- SALIGAN LN, OLSON K, FILLER K ET AL: *The biology of cancer-related fatigue: a review of the literature*. Support Care Cancer 23(8): 2461-2478, 2015.
- TIAN L, LU HJ, LIN L ET AL: *Effects of aerobic exercise on cancer-related fatigue: a meta-analysis of randomized controlled trials*. Support Care Cancer 24(2): 969-983, 2016.
- WANG XS, WOODRUFF JF: *Cancer-related and treatment-related fatigue*. Gynecol Oncol 136(3): 446-452, 2015.
- YENNURAJALINGAM S, BRUERA E: *Role of corticosteroids for fatigue in advanced incurable cancer: is it a "wonder drug" or "deal with the devil"*. Curr Opin Support Palliat Care 8(4): 346-351, 2014.

PROBLEMATICHE CUTANEE

- ANDREW D, CRAIG AD: *Spinthalamic lamina I neurons selectively sensitive to histamine: a central neural pathway for itch*. Nature Neuroscience 4: 72-77, 2001.
- BARTON D ET AL: *Venlafaxine for the control of hot flashes: results of a longitudinal continuation study*. Oncol Nurs Forum 29(1): 33-40, 2002.
- BERGASA NW ET AL: *Effect of naloxone infusions in patients with the pruritus of cholestasis*. Annals of Internal Medicine 123: 161-167, 1995.
- BERNARD JD: *Itch: mechanism and management of pruritus*. McGraw Hill, New York, 1994.
- DA COSTA SANTOS CM, DE MATTOS PIMENTA CA, NOBRE MRC: *A systematic review of topical treatments to control the odor of malignant fungating wounds*. Journal of Pain and Symptom Management 39: 1065-1076, 2010.
- DEVERE R, BRADLEY WG: *Polymiositis: its presentation, morbidity and mortality*. Brain 98: 637-666, 1975.
- DIEHN F, TEFFERI A: *Pruritus in polycythaemia vera: prevalence, laboratory correlates and management*. British Journal of Haematology 115: 619-621, 2001.
- ENGEL AG, EMSLIE-SMITH AM: *Inflammatory myopathies*. Current opinion in Neurology and Neurosurgery 2: 695-699, 1989.
- GOLDBERG RM ET AL: *Transdermal clonidine for ameliorating tamoxifen-induced hot flushes*. J Clin Onc 12: 155-158, 1994.
- JONES EA, BERGASA NV: *The pathogenesis and treatment of pruritus and fatigue in patients with PBC*. Eur J Gastroenterol Hepatol 11(6): 623-631, 1999.
- JONES EA, BERGASA NV: *Evolving concepts of the pathogenesis and treatment of the pruritus of cholestasis*. Can J Gastroenterol 14(1): 33-40, 2000.
- MURRAY M: *Menopause*. Prima, Rocklin (California), 1994.
- PAUL R, JANSEN CT: *Itch and malignancy prognosis in generalized pruritus. A six-year-follow-up in 125 patients*. Journal of the American Academy of Dermatology 16: 1179-1182, 1987.
- PAUS R, SCHMELZ M, BIRÒ T, STEINHOFF M: *Frontiers in pruritus research: scratching the brain for the more effective therapy*. Journal of Clinical Investigation 116: 1174-1186, 2006.
- RADERER M, MÜLLER C, SCHEITHAUER W: *Ondansetron for pruritus due to cholestasis*. NEJM 330: 1540, 1994.
- RIGEL DS, JACOB MI: *Malignant acanthosis nigricans: a review*. J Dermatol Surg Onc 6: 923-927, 1980.
- SCHMELZ M, SCHMIDT R, BICKEL A ET AL: *Specific C-receptors for itch in human skin*. Journal of Neuroscience 17: 8003-8008, 1997.
- STEARNS V ET AL: *A pilot trial assessing the efficacy of paroxetine hydrochloride (Paxil) in controlling hot flashes in breast cancer survivors*. Ann Oncol 11(1): 9, 2000.
- WATERLOW J: *The Waterlow card for the prevention and the management of pressure sore: toward a pocket policy*. Care, Science and Practice 6: 8-12, 1988.
- YOUNG RL, KUMAR NS, GOLDZIHNER JW: *Management of menopause when oestrogen cannot be used*. Drugs 40: 220-230, 1990.

PROBLEMATICHE GENITOURINARIE

- ALLEN DJ, LONGHORN SE ET AL: *Percutaneous urinary drainage and ureteric stenting in malignant disease*. *Clinical Oncology* 22: 733-739, 2010.
- ANDROILE GL, BETTMANN MA, GARNIK MB ET AL: *Indwelling double J ureteral stents for temporary and permanent urinary drainage: experience with 87 patients*. *J Urol* 131: 239, 1984.
- ARNOFF GR, BERNS JS, BRIER ME ET AL: *Drug prescribing in renal failure. Dosing guidelines for adults*. American College of Physicians, Filadelfia, IV edizione, 1999.
- BROWNING GPP, BARR L, HORSBURG AG: *Management of obstructed balloon catheters*. *BMJ* 144: 1585, 1984.
- BULLOCK N, WHITAKER RH: *Massive bladder haemorrhage*. *BMJ* 288: 749, 1984.
- DE VRIES CR, FREIHA FS: *Haemorrhagic cystitis: a review*. *J Urol* 143: 1, 1990.
- DONAHUE LA, FRANK IN: *Intravesical formalin for haemorrhagic cystitis: analysis of therapy*. *J Urol* 141: 809, 1989.
- EPSTEIN AC: *Should cancer patients be dialyzed?* *Semin Nephrol* 13: 315, 1993.
- HIRSBERG SJ, GREENBERG RE: *Urologic issue of palliative care*. In: BERGER AM, PORTENOY RK, WEISSMAN DE (EDS), *Principles and practice of supportive oncology*. Lippincott-Raven Publishers, Filadelfia, 1988.
- JOHANSON GA: *Midazolam in terminal care*. *Am J Hospice Palliat Care* 10(1): 13-14, 1993.
- KAIKO R, BENZIGER D, CHENG C ET AL: *Clinical pharmacokinetics of controlled release oxycodone in renal impairment*. *Clin Pharmacother* 59: 130(abst P1-3), 1996.
- KAVANAGH D ET AL: *Diagnosis and treatment of enterovesical fistulae*. *Colonrectal Disease* 7(3): 286-291, 2005.
- KEIDAN RD, GREENBERG RE, HOFFMAN JP: *Is percutaneous nephrostomy for hydronephrosis appropriate in patients with advanced cancer?* *Am J Surg* 156: 206, 1988.
- KENNEDY L, SNELL ME, WITHEROW RO: *Use of alum to control intractable vesical haemorrhage*. *Br J Urol* 56: 673, 1984.
- KEY KW, LANGE PH: *Mode of presentation of invasive bladder cancer: reassessment of the problem*. *J Urol* 128: 31, 1982.
- KUNIN CM, CHIN QF, CHAMBERS S: *Indwelling urinary catheters in the elderly: relation of catheter life to formation of encrustations in patients with and without blocked catheters*. *Am J Med* 82: 405, 1987.
- LEVINE LA, JARRARD DF: *Treatment of cyclophosphamide-induced haemorrhagic cystitis with intravesical carboprost tromethamine*. *J Urol* 149: 719, 1993.
- LIPPERT MC, TEATES CD, HOWARDS SS: *Detection of enteric-urinary fistulas with a non invasive quantitative method*. *J Urol* 132: 1134, 1984.
- MALONE-LEE J, FADER M, BUDDEN C: *Urinary incontinence*. In: GOODWILL CJ, CHAMBERLAIN MA (EDS), *Rehabilitation of the physically disabled adult*. Croom Helm, Londra, 1988.
- MARIANI AJ, MARIANI MC, MACCHIONI C ET AL: *The significance of adult hematuria: 1,000 hematuria evaluation including a risk-benefit and cost-effectiveness analysis*. *J Urol* 141: 350, 1989.
- MEYER JE, YATSUHASHI M, GREEN TH: *Palliative urinary diversion in patients with advanced pelvic malignancy*. *Cancer* 45: 2698, 1980.
- MORGENTALER A, DEWOLF WC: *A self-expanding prostatic stent for bladder outlet obstruction in high risk patients*. *J Urol* 150: 1624, 1993.
- NORMAN RW, MACK FG, AWAD SA ET AL: *Acute renal failure secondary to bilateral ureteric obstruction: review of 50 cases*. *Can Med Assoc J* 127: 601, 1982.
- NORKOOL DM, HAMPSON NB, GIBBONS RP ET AL: *Hyperbaric oxygen therapy for radiation induced haemorrhagic cystitis*. *J Urol* 150: 332, 1993.
- PEREIRA J, MANCINI I, WALKER P: *The role of bisphosphonates in malignant bone pain: a review*. *J Palliat Care* 14(2): 25-36, 1998.
- SARNAK MJ, LONG J, KING AJ: *Intravesicular formaldehyde instillation and renal complications*. *Clinical Nephrology* 51: 122-125, 1999.
- SARR MG, FISHMANN EK, GOLDMAN SM ET AL: *Enterovesical fistula*. *Surg Gynecol Obstet* 164: 41, 1987.
- SURYA BV, PROVET JA: *Manifestation of advanced prostate cancer: prognosis and treatment*. *J Urol* 142(4): 921, 1989.
- TOLKOFF-RUBIN NE, RUBIN RH: *New approaches to the treatment of urinary tract infection*. *Am J Med* 82(suppl 4A): 270, 1987.
- TURNER-WARWICK R: *Urinary fistulae in the female*. In: WALSH PC, GITTES RF, PERLMUTTER AD ET AL (EDS), *Campbell's urology*. Saunders, Filadelfia, V edizione, 1986.
- WILSON JR, URWIN GH, STOWER MJ: *The role of percutaneous nephrostomy in malignant ureteric obstruction*. *Annals of the Royal College of Surgeons of England* 87(1): 21-24, 2005.
- YOSHIKAWA TT, NICOLLE LE ET AL: *Management of complicated urinary tract infection in older patients*. *Journal of the American Geriatric Society* 44: 1235-1241, 1996.

PROBLEMATICHE METABOLICHE

- CONN HO: *Quantifying the severity of hepatic encephalopathy*. American Journal of Digestive Disorders 22: 541-550, 1977.
- DEI CAS L ET AL: *Electrolytes disturbances in chronic heart failure: metabolic and clinical aspects*. Clin Cardiol 18: 370-376, 1995.
- ELLISON DH ET AL: *The syndrome of inappropriate antidiuresis*. N Eng J Med 356: 2064-2072, 2007.
- SHEPSHELOVICH D ET AL: *The syndrome of inappropriate antidiuretic hormone secretion: distribution and characterization according to etiologies*. Europ J Int Med 26: 819-826, 2015.
- URSO C ET AL: *Acid-base and electrolytes abnormalities in heart failure: pathophysiology and implications*. Heart Fail Rev 20: 493-503, 2015.

SEDAZIONE PALLIATIVA: ASPETTI CLINICI

- AZZETTA F, BUDA P, KARMANN P ET AL: *Percorsi formativi e core curriculum del volontario in cure palliative*. Federazione Cure Palliative ONLUS, Milano, 2013.
- BRUERA E, HUI D, DALAL S ET AL: *Parenteral hydration in patients with advanced cancer: a multicenter, double-blind, placebo-controlled randomized trial*. J Clin Oncol 31(1): 111-118, 2013.
- COMITATO NAZIONALE PER LA BIOETICA, PRESIDENZA DEL CONSIGLIO DEI MINISTRI: *Sedazione palliativa profonda continua nell'imminenza della morte*. Roma, 1-25, 29 gennaio 2016.
- COWAN JD, PALMER TW: *Practical guide to palliative sedation*. Curr Oncol Rep 4(3): 242-249, 2002.
- DECRETO DEL PRESIDENTE DEL CONSIGLIO DEI MINISTRI, 12 GENNAIO 2017: *Definizione e aggiornamento dei livelli essenziali di assistenza, di cui all'articolo 1, comma 7, del decreto legislativo 30/12/1992 numero 502*. Gazzetta Ufficiale 18 marzo 2017, numero 65.
- LEGGE NUMERO 38, 15 MARZO 2010: *Disposizione per garantire l'accesso alle cure palliative e alla terapia del dolore*. Gazzetta Ufficiale 19 marzo 2010, numero 65.
- LEGGE NUMERO 24, 8 MARZO 2017: *Disposizione in materia di sicurezza delle cure e della persona assistita, nonché in materia di responsabilità professionale degli esercenti le professioni sanitarie*. Gazzetta Ufficiale 17 marzo 2017, numero 64.
- LEGGE NUMERO 219, 22 DICEMBRE 2017: *Norme in materia di consenso informato e di disposizioni anticipate di trattamento*. Gazzetta Ufficiale 16 gennaio 2018, numero 12.
- LIPUMA SH: *Continuous sedation until death as physician-assisted suicide/euthanasia: a conceptual analysis*. J Med Philos 38(2): 190-204, 2013.
- MAEDA I, MORITA T, YAMAGUCHI T ET AL: *Effect of continuous deep sedation on survival in patients with advanced cancer (J-Proval): a propensity score-weighted analysis of a prospective cohort study*. Lancet Oncol 17(1): 115-122, 2016.
- MALTONI M, SCARPI E, ROSATI M ET AL: *Palliative sedation in end-of-life care and survival: a systematic review*. J Clin Oncol 30(12): 1378-1383, 2012. doi: 10.1200/JCO.2011.37.3795. Epub 12 marzo 2012, review. Erratum in: J Clin Oncol 30(27): 3429, 2012. PubMed PMID:22412129.
- MALTONI M, SCARPI E, NANNI O: *Palliative sedation for intolerable suffering*. Curr Opin Oncol 26(4): 389-394, 2014.
- MATERSTVEDT LJ, CLARK D, ELLERSHAW J ET AL: *Euthanasia and physician-assisted suicide: a view from an EAPC Ethics Task Force*. Palliat Med 17(2): 97-101; discussion 102-179, 2003.
- MERCADANTE S: *Opioid titration in cancer pain: a critical review*. Eur J Pain 11(8): 823-830, 2007. Epub 28 febbraio 2007, review. PubMed PMID: 17331764.
- MICCINESI G, RIETJENS JA, DELIENS L ET AL: *Continuous deep sedation: physicians' experiences in six European countries*. J Pain Symptom Manage 31(2): 122-129, 2006.
- ORSI L: *SC cure palliative, AO Carlo Poma sedazione terminale/palliativa*. Rivista Italiana di Cure Palliative 14(1): I-VIII, 2012.
- ROMANÒ M: *Scompenso cardiaco e CP, integrazione e gestione nella pratica clinica quotidiana*. Il Pensiero Scientifico, Roma, 1-293, 2018.
- TWYXCROSS R, WILCOCK A, HOWARD P (EDS): *Palliative care formulary*. Palliativedrugs.com, Nottingham (Regno Unito), V edizione, 157-160, 2015.

DELIRIUM

- FINUCANE AM, LUGTON J, KENNEDY C, SPILLER JA: *The experiences of caregivers of patients with delirium, and their role in its management in palliative care settings: an integrative literature review*. *Psychooncology* 26(3): 291-300, 2017.
- HUI D: *Benzodiazepines for agitation in patients with delirium: selecting the right patient, right time, and right indication*. *Curr Opin Support Palliat Care* 12(4): 489-494, 2018.
- LAWLEY H, HEWISON A: *An integrative literature review exploring the clinical management of delirium in patients with advanced cancer*. *J Clin Nurs* 26(23-24): 4172-4183, 2017.
- LAWLOR PG, BUSH SH: *Delirium diagnosis, screening and management*. *Curr Opin Support Palliat Care* 8(3): 286-295, 2014.
- LAWLOR PG, BUSH SH: *Delirium in patients with cancer: assessment, impact, mechanisms and management*. *Nat Rev Clin Oncol* 12(2): 77-79, 2015.
- LEGRAND SB: *Delirium in palliative medicine: a review*. *J Pain Symptom Manage* 44(4): 583-594, 2012.
- LEONARD MM, AGAR M, SPILLER JA ET AL: *Delirium diagnostic and classification challenges in palliative care: subsyndromal delirium, comorbid delirium-dementia, and psychomotor subtypes*. *J Pain Symptom Manage* 48(2): 199-214, 2014a.
- LEONARD MM, NEKOLAICHUK C, MEAGHER DJ ET AL: *Practical assessment of delirium in palliative care*. *J Pain Symptom Manage* 48(2): 176-190, 2014b.
- MALDONADO JR: *Neuropathogenesis of delirium: review of current etiologic theories and common pathways*. *Am J Geriatr Psychiatry* 21(12): 1190-1222, 2013.
- MEAGHER D: *Motor subtypes of delirium: past present and future*. *Int Rev Psychiatry* 21: 59-73, 2009.
- MITCHELL AJ, SHUKLA D, AJUMAL HA ET AL: *The mini-mental state examination as a diagnostic and screening test for delirium: systematic review and meta-analysis*. *Gen Hosp Psychiatry* 36(6): 627-630, 2014.
- WONG CL, HOLROYD-LEDUC J, SIMEL DL, STRAUS SE: *Does this patient have delirium? Value of bedside instruments*. *JAMA* 304(7): 779-786, 2010.
- WRIGHT DK, BRAJTMAN S, MACDONALD ME: *A relational ethical approach to end-of-life delirium*. *J Pain Symptom Manage* 48(2): 191, 2014.

DISTURBI DELL'UMORE

- BUTOW P, PRICE MA, SHAW JM ET AL: *Clinical pathway for the screening, assessment and management of anxiety and depression in adult cancer patients: Australian guidelines*. *Psychooncology* 24(9): 987-1001, 2015.
- GUAN NC, SULAITMAN AH, ZAINAL NZ ET AL: *Diagnostic criteria for major depressive disorder in cancer patients: a review*. *Int J Psychiatry Med* 45: 73-82, 2013.
- HOTOPF M, CHIDGEY J, ADDINGTON-HALL J ET AL: *Depression in advanced disease: a systematic review. Part 1: Prevalence and case finding*. *Palliative Med* 16: 81-97, 2002.
- KISSANE DW: *Demoralization: a life-preserving diagnosis to make for the severely medically ill*. *J Palliat Care* 30(4): 255-258, 2014.
- LI M, KENNEDY EB, BYRNE N ET AL: *Management of depression in patients with cancer: a clinical practice guideline*. *J Oncol Pract* 12(8): 747-756, 2016.
- LLOYD-WILLIAMS M, REEVE J, KISSANE D: *Distress in palliative care patients: developing patient-centred approaches to clinical management*. *Eur J Cancer* 44(8): 1133-1138, 2008.
- MITCHELL AJ, CHAN M, BHATTI H ET AL: *Prevalence of depression, anxiety, and adjustment disorder in oncological, haematological, and palliative-care settings: a meta-analysis of 94 interview-based studies*. *Lancet Oncol* 12(2): 160-167, 2011.
- MITCHELL AJ, LORD K, SYMONDS P: *Which symptoms are indicative of DSMI-V depression in cancer settings? An analysis of the diagnostic significance of somatic and non somatic symptoms*. *J Affect Disord* 138(1-2): 137-148, 2012a.
- MITCHELL AJ, MEADER N, DAVIES E ET AL: *Meta-analysis of screening and case finding tools for depression in cancer: evidence based recommendations for clinical practice on behalf of the Depression in Cancer Care Consensus Group*. *J Affect Disord* 140(2): 149-160, 2012b.
- ROBINSON S, KISSANE DW, BROOKER J, BURNEY S: *A systematic review of the demoralization syndrome in individuals with progressive disease and cancer: a decade of research*. *J Pain Symptom Manage* 49(3): 595-610, 2015.
- ROBINSON S, KISSANE DW, BROOKER J, BURNEY S: *A review of the construct of demoralization: history, definitions, and future directions for palliative care*. *Am J Hosp Palliat Care* 33(1): 93-101, 2016.
- SARACINO RM, ROSENFELD B, NELSON CJ: *Performance of four diagnostic approaches to depression in adults with cancer*. *Gen Hosp Psychiatry* 51: 90-95, 2018.
- SCHEFFOLD K, PHILIPP R, KORANYI S ET AL: *Insecure attachment predicts depression and death anxiety in advanced cancer patients*. *Palliat Support Care* 16(3): 308-316, 2018.
- SHAW JM, PRICE MA, CLAYTON JM ET AL: *Developing a clinical pathway for the identification and management of anxiety and depression in adult cancer patients: an online Delphi consensus process*. *Support Care Cancer* 24(1): 33-41, 2016.
- TORTA RG, IERACI V: *Pharmacological management of depression in patients with cancer: practical considerations*. *Drugs* 73(11): 1131-1145, 2013.
- WALKER J, HOLM HANSEN C, MARTIN P ET AL: *Prevalence of depression in adults with cancer: a systematic review*. *Ann Oncol* 24: 895-900, 2013.
- WALKER J, HANSEN CH, MARTIN P ET AL: *Prevalence, associations, and adequacy of treatment of major depression in patients with cancer: a cross-sectional analysis of routinely collected clinical data*. *Lancet Psychiatry* 1(5): 343-350, 2014a.
- WALKER J, SHARPE M: *Integrated management of major depression for people with cancer*. *Int Rev Psychiatry* 26(6): 657-668, 2014b.
- WALKER J, WANAT M, FIELDING J ET AL: *Screening medical patients for depression: lessons from a national program in cancer clinics*. *Psychosomatics* 58(3): 274-280, 2017.

DISTURBI D'ANSIA

- BERNATCHEZ MS, SAVARD J, SAVARD MH, AUBIN M: *Feasibility of a cognitive-behavioral and environmental intervention for sleep-wake difficulties in community-dwelling cancer patients receiving palliative care*. *Cancer Nurs* 14 maggio 2018. doi: 10.1097/NCC.0000000000000603.
- BOVERO A, LEOMBRUNI P, MINIOTTI M ET AL: *Spirituality, quality of life, psychological adjustment in terminal cancer patients in hospice*. *Eur J Cancer Care (Engl)* 25(6): 961-969, 2016.
- BREITBART W: *Spirituality and meaning in supportive care: spirituality-and meaning-centered group psychotherapy interventions in advanced cancer*. *Supportive Care in Cancer* 10(4): 272-280, 2002.
- BREITBART W, ROSENFELD B, PESSIN H ET AL: *Meaning-centered group psychotherapy: an effective intervention for improving psychological well-being in patients with advanced cancer*. *J Clin Oncol* 33: 749-754, 2015.
- CASTELLI L, BINASCHI L, CALDERA P ET AL: *Fast screening of depression in cancer patients: the effectiveness of the HADS*. *Eur J Cancer Care (Engl)* 20(4): 528-533, 2011.
- CAUDA F, PALERMO S, COSTA T ET AL: *Gray matter alterations in chronic pain: a network-oriented meta-analytic approach*. *Neuroimage Clin* 16(4): 676-686, 2014.
- CHOCHINOV HM, KRISTJANSON LJ, BREITBART W ET AL: *Effect of dignity therapy on distress and end-of-life experience in terminally ill patients: a randomised controlled trial*. *The Lancet Oncology* 12(8): 753-762, 2011.
- CLARK K, QUINN SJ, DOOGUE M ET AL: *Routine prescribing of gabapentin or pregabalin in supportive and palliative care: what are the comparative performances of the medications in a palliative care population?* *Support Care Cancer* 23(9): 2517-2520, 2015.
- CLASSEN CC, KRAEMER HC, BLASEY C ET AL: *Supportive expressive group therapy for primary breast cancer patients: a randomized prospective multicenter trial*. *Psychooncology* 17: 438-447, 2008.
- DO CARMO TM, PAIVA BSR, DE OLIVEIRA CZ ET AL: *The feasibility and benefit of a brief psychosocial intervention in addition to early palliative care in patients with advanced cancer to reduce depressive symptoms: a pilot randomized controlled clinical trial*. *BMC Cancer* 17(1): 564, 2017.
- DROLET J: *Transcending death during early adulthood: symbolic immortality, death anxiety, and purpose in life*. *J Clin Psychol* 46: 148-160, 2006.
- FAKHRI S, ENGELBERG RA, DOWNEY L ET AL: *Factors affecting patients' preferences for and actual discussions about end-of life care*. *J Pain Symptom Manage* 52: 386-394, 2016.
- GRASSI L, CARACENI A, MITCHELL AJ ET AL: *Management of delirium in palliative care: a review*. *Curr Psychiatry Rep* 17(3): 550, 2015.
- HIGGINSON I, EVANS CJ, GRANDE G ET AL: *Evaluating complex interventions in end of life care: the MORECare statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews*. *BMC Med* 11: 111, 2013.
- IVERACH L, MENZIES RG, MENZIES RE: *Death anxiety and its role in psychopathology: reviewing the status of a transdiagnostic construct*. *Clin Psychol Rev* 34: 580-593, 2014.
- KATHOL R, DALAHUNT J: *The relationship of anxiety and depression to symptoms of hyperthyroidism using operational criteria*. *General Hospital Psychiatry* 8: 23-28, 1986.
- KISSANE DW, BLOCH S, SMITH GC ET AL: *Cognitive-existential group psychotherapy for women with primary breast cancer: a randomised controlled trial*. *Psychooncology* 12: 532-546, 2003.
- KOLVA E, ROSENFELD B, PESSIN H ET AL: *Anxiety in terminally ill cancer patients*. *J Pain Symptom Manage* 42(5): 691-701, 2011.
- LAWLOR B: *Hypocalcemia, hypoparathyroidism, and organic anxiety syndrome*. *Journal of Clinical Psychiatry* 49: 317-318, 1988.
- LILLIS TA, GERHART J, BOUCHARD LC ET AL: *Sleep disturbance mediates the association of post-traumatic stress disorder symptoms and pain in patients with cancer*. *American Journal of Hospice and Palliative Medicine* 35(5): 788-793, 2018.
- LO C, LIN J, GAGLIESE L ET AL: *Age and depression in patients with metastatic cancer: the protective effects of attachment security and spiritual wellbeing*. *Ageing Soc* 30: 325-333, 2010.
- LO C, HALES S, CHIU A ET AL: *Managing Cancer And Living Meaningfully (CALM): randomised feasibility trial in patients with advanced cancer*. *BMJ Support Palliat Care* 9(2): 209-218, 2019. doi: 10.1136/bmjspcare-2015-000866.
- MERCADANTE S, MASEDU F, MALTONI M ET AL: *Symptom expression in advanced cancer patients admitted to hospice or home care with and without delirium*. *Internal and Emergency Medicine* 14(4): 515-520, 2019.
- MIOVIC M, BLOCK S: *Psychiatric disorders in advanced cancer*. *Cancer* 110(8): 1665-1673, 2007.
- MITCHELL AJ, CHAN M, BHATTI H ET AL: *Prevalence of depression, anxiety, and adjustment disorder in oncological, haematological, and palliative-care settings: a meta-analysis of 94 interview-based studies*. *The Lancet Oncology* 12(2): 160-174, 2011.

- NEEL C, LO C, RYDALL A ET AL: *Determinants of death anxiety in patients with advanced cancer*. *BMJ Supportive & Palliative Care* 0: 1-8, 2013. doi:10.1136/bmjspcare-2012-000420.
- PERIYAKOIL VS: *Panic disorder at the end of life #145*. *Journal of Palliative Medicine* 10(2): 483-484, 2007.
- PROBST DR, WELLS-DI GREGORIO S, MARKS DR: *Suffering compounded: the relationship between abuse history and distress in five palliative care domains*. *Journal of Palliative Medicine* 16(10): 1242-1248, 2013.
- RASHID A, BAILE W, OLUBAJO T, DE LA GARZA R: *Incidence of antiemetic-induced akathisia in patients at a comprehensive cancer center*. *Psychooncology* 27(4): 1338-1340, 2018.
- RODIN G: *Individual psychotherapy for the patient with advanced disease*. In: CHOCHINOV H, BREITBART W (EDS), *Handbook of psychiatry in palliative medicine*. Oxford University, Londra, 443-453, 2009.
- RODIN G, LO C, RYDALL A ET AL: *Managing Cancer And Living Meaningfully (CALM): a randomized controlled trial of a psychological intervention for patients with advanced cancer*. *J Clin Oncol* 36(23): 2422-2432, 2017.
- ROYAL KD, ELAHI F: *Psychometric properties of the Death Anxiety Scale (DAS) among terminally ill cancer patients*. *J Psychosoc Oncol* 29: 359-371, 2011.
- SAND L, OLSSON M, STRANG P: *Coping strategies in the presence of one's own impending death from cancer*. *J Pain Symptom Manage* 37: 13-22, 2009.
- SATSANGI AK, BRUGNOLI MP: *Anxiety and psychosomatic symptoms in palliative care: from neurobiological response to stress, to symptoms' management with clinical hypnosis and meditative states*. *Ann Palliat Med* 7(1): 75-111, 2018.
- SHAW C, CHRYSIKOU V, DAVIS S ET AL: *Inviting end-of-life talk in initial CALM therapy sessions: a conversation analytic study*. *Patient Educ Couns* 100: 259-266, 2017.
- SHERMAN DW, NORMAN R, MCSHERRY CB: *A comparison of death anxiety and quality of life of patients with advanced cancer or AIDS and their family caregivers*. *J Assoc Nurses AIDS Care* 21: 99-112, 2010.
- STARKMAN MN, ZELNIK TC, NESSE RM ET AL: *Anxiety in patients with pheochromocytomas*. *Archives of Internal Medicine* 145(2): 248-252, 1985.
- TORTA R, MUSSA A: *Psiconcologia - modello biopsicosociale*. Centro Scientifico, Milano, 2007.
- TORTA R, IERACI V: *Pharmacological management of depression in patients with cancer: practical considerations*. *Drugs* 73(11): 1131-1145, 2013.
- TORTA R, IERACI V, ZIZZI F: *A review of the emotional aspects of neuropathic pain: from comorbidity to co-pathogenesis*. *Pain Ther* 6(suppl 1): 11-17, 2017.
- TRAEGER L: *Evidence-based treatment of anxiety in patients with cancer*. *J Clin Oncol* 30(11): 1197, 2012.
- TURRIZIANI A, ZANINETTA G: *Il mondo delle cure palliative. Manuale per giovani medici*. Esculapio, Bologna, 2018.
- UJEYL M, MÜLLER-OERLINGHAUSEN B: *Antidepressants for treatment of depression in palliative patients: a systematic literature review*. *Schmerz* 26(5): 523-536, 2012.
- VEHLING S, MALFITANO C, SHNALL J ET AL: *A concept map of death-related anxieties in patients with advanced cancer*. *BMJ Supportive & Palliative Care* 7(4): 427-434, 2017. doi:10.1136/bmjspcare-2016-001287.
- WEAVER K, ROWLAND JH, ALFANO CM ET AL: *Parental cancer and the family: a population based estimate of the number of US cancer survivors residing with their minor children*. *Cancer* 116: 4395-4401, 2010.
- ZIGMOND AS, SNAITH RP: *The hospital anxiety and depression scale*. *Acta Psychiatrica Scandinavica* 67(6): 361-370, 1983.

LUTTO E LUTTO COMPLICATO

- CASARETT D, KUTNER JS, ABRAHM J, END-OF-LIFE CARE CONSENSUS PANEL: *Life after death: a practical approach to grief and bereavement*. Ann Intern Med 134(3): 208-215, 2001.
- CLUKEY L: *Anticipatory mourning: processes of expected loss in palliative care*. Int J Palliat Nurs 14(7): 318-325, 2008.
- COELHO A, BARBOSA A: *Family anticipatory grief: an integrative literature review*. Am J Hosp Palliat Care 34(8): 774-785, 2017.
- HOTTENSEN D: *Anticipatory grief in patients with cancer*. Clin J Oncol Nurs 14(1): 106-107, 2010.
- KERSTING A, BRAHLER E, GLAESMER H, WAGNER B: *Prevalence of complicated grief in a representative population-based sample*. Journal of Affective Disorders 131: 339-343, 2011.
- KÜBLER-ROSS E, WESSLER S, AVIOLI LV: *On death and dying*. JAMA 221(2): 174-179, 1972.
- LOTTERMAN JH, BONANNO GA, GALATZER-LEVY I: *The heterogeneity of long-term grief reactions*. J Affect Disord 167: 12-19, 2014.
- MANCINI AD, GRIFFIN P, BONANNO GA: *Recent trends in the treatment of prolonged grief*. Curr Opin Psychiatry 25(1): 46-51, 2012.
- PARKES CM, PRIGERSON HG: *Bereavement: studies of grief in adult life*. Penguin Books, Londra, IV edizione, 2010.
- SHEAR MK, GHESQUIERE A, GLICKMAN K: *Bereavement and complicated grief*. Curr Psychiatry Rep 15(11): 406, 2013.
- WORDEN JW: *Grief counseling and grief therapy. A handbook for the mental health practitioner*. Springer, New York, IV edizione, 2010.

INTERVENTI PSICOTERAPICI

- ANDO M, MORITA T, AKECHI T, OKAMOTO T; JAPANESE TASK FORCE FOR SPIRITUAL CARE: *Efficacy of short-term life-review interviews on the spiritual well-being of terminally ill cancer patients*. *J Pain Symptom Manage* 39(6): 993-1002, 2010.
- ANDO M, MORITA T, AKECHI T, TAKASHI K: *Factors in narratives to questions in the short-term life review interviews of terminally ill cancer patients and utility of the questions*. *Palliat Support Care* 10(2): 83-90, 2012.
- AOUN SM, CHOCHINOV HM, KRISTIANSO L: *Dignity therapy for people with motor neuron disease and their family caregivers: a feasibility study*. *J Palliat Med* 18(1): 31-37, 2015.
- APPLEBAUM AJ, BREITBART WS: *Care for the cancer caregiver: a systematic review*. *Palliat Support Care* 11(3): 231-252, 2013.
- BALL MS, VERNON B: *A review on how meditation could be used to comfort the terminally ill*. *Palliat Support Care* 13(5): 1469-1472, 2015.
- BENG TS, CHIN LE, GUAN NC ET AL: *Mindfulness-Based Supportive Therapy (MBST): proposing a palliative psychotherapy from a conceptual perspective to address suffering in palliative care*. *Am J Hosp Palliat Care* 32(2): 144-160, 2015.
- BLOCK SD: *Perspectives on care at the close of life. Psychological considerations, growth, and transcendence at the end of life: the art of the possible*. *JAMA* 285: 2898-2905, 2001.
- BREITBART WS: *Spirituality and meaning in supportive care: spirituality- and meaning-centered group psychotherapy interventions in advanced cancer*. *Support Care Cancer* 10: 272-280, 2002.
- BREITBART WS, GIBSON C, POPPITO SR, BERG A: *Psychotherapeutic interventions at the end of life: a focus on meaning and spirituality*. *Can J Psychiatry* 49: 366-372, 2004.
- BREITBART WS, ROSENFELD B, GIBSON C ET AL: *Meaning-centered group psychotherapy for patients with advanced cancer: a pilot randomized controlled trial*. *Psychooncology* 19(1): 21-28, 2010.
- BREITBART WS, POPPITO S, ROSENFELD B ET AL: *Pilot randomized controlled trial of individual meaning-centered psychotherapy for patients with advanced cancer*. *J Clin Oncol* 30(12): 1304-1309, 2012.
- BREITBART WS, ALICI Y: *Psychosocial palliative care*. Oxford University Press, New York, 2014.
- BREITBART WS, ROSENFELD B, PESSIN H ET AL: *Meaning-centered group psychotherapy: an effective intervention for improving psychological well-being in patients with advanced cancer*. *J Clin Oncol* 33(7): 749-754, 2015.
- BRYANT RA, KENNY L, JOSCELYNE A ET AL: *Treating prolonged grief disorder: a randomized clinical trial*. *JAMA Psychiatry* 71(12): 1332-1339, 2014.
- BRYANT RA, KENNY L, JOSCELYNE A ET AL: *Treating prolonged grief disorder: a 2-year follow-up of a randomized controlled trial*. *J Clin Psychiatry* 78(9): 1363-1368, 2017.
- BUTLER LD, KOOPMAN C, NERI È ET AL: *Effects of supportive-expressive group therapy on pain in women with metastatic breast cancer*. *Health Psychol* 28(5): 579-587, 2009.
- CAROLAN CM, SMITH A, FORBAT L: *Conceptualising psychological distress in families in palliative care: findings from a systematic review*. *Palliat Med* 29(7): 605-632, 2015.
- CARUSO R, NANNI MG, RODIN G ET AL: *Efficacy of a brief manualized intervention managing Cancer And Living Meaningfully (CALM) adapted to Italian cancer care setting. Study protocol for a randomized controlled trial*. Unpublished manuscript.
- CHAN EK, O'NEILL I, MCKENZIE M ET AL: *What works for therapists conducting family meetings: treatment integrity in family-focused grief therapy during palliative care and bereavement*. *J Pain Symptom Manage* 27(6): 502-512, 2004.
- CHI NC, DEMIRIS G, LEWIS FM ET AL: *Behavioral and educational interventions to support family caregivers in end-of-life care: a systematic review*. *Am J Hosp Palliat Care* 33(9): 894-908, 2016.
- CHOCHINOV HM, CANN BJ: *Interventions to enhance the spiritual aspects of dying*. *J Palliat Med* 8(suppl 1): S103-S115, 2005a.
- CHOCHINOV HM, HACK T, HASSARD T ET AL: *Dignity therapy: a novel psychotherapeutic intervention for patients near the end of life*. *J Clin Oncol* 23(24): 5520-5525, 2005b.
- CHOCHINOV HM, KRISTIANSO L, BREITBART WS ET AL: *Effect of dignity therapy on distress and end-of-life experience in terminally ill patients: a randomised controlled trial*. *Lancet Oncol* 12(8): 753-762, 2011.
- CLASSEN C, BUTLER LD, KOOPMAN C ET AL: *Supportive-expressive group therapy and distress in patients with metastatic breast cancer: a randomized clinical intervention trial*. *Arch Gen Psychiatry* 58(5): 494-501, 2001.
- COELHO A, BARBOSA A: *Family anticipatory grief*. *Am J Hosp Palliat Care* 34(8): 774-785, 2017.
- DOERING BK, EISMA MC: *Treatment for complicated grief: state of the science and ways forward*. *Curr Opin Psychiatry* 29(5): 286-289, 2016.
- FITCHETT G, EMANUEL L, HANDZO G ET AL: *Care of the human spirit and the role of dignity therapy: a systematic review of dignity therapy research*. *BMC Palliat Care* 14: 8, 2015. doi: 10.1186/s12904-015-0007-1.

- GAGNON P, FILLION L, ROBITAILLE MA ET AL: *A cognitive-existential intervention to improve existential and global quality of life in cancer patients: a pilot study*. Palliat Support Care 13(4): 981-990, 2015.
- GULDIN MB, VEDSTED P, ZACHARIAE R ET AL: *Complicated grief and need for professional support in family caregivers of cancer patients in palliative care: a longitudinal cohort study*. Support Care Cancer 20(8): 1679-1685, 2012.
- HALES S, LO C, RODIN G: *Managing Cancer And Living Meaningfully (CALM). Treatment manual: an individual psychotherapy for patients with advanced cancer*. Psychosocial Oncology and Palliative Care, Princess Margaret Hospital, Univerisity Health network, Toronto, 2010.
- HOUMANN LJ, RYDAHL-HANSEN S, CHOCHINOV HM ET AL: *Testing the feasibility of the dignity therapy interview: adaptation for the Danish culture*. BMC Palliat Care 9: 21, 2010. doi: 10.1186/1472-684X-9-21.
- HOUMANN LJ, CHOCHINOV HM, KRISTJANSON LJ ET AL: *A prospective evaluation of dignity therapy in advanced cancer patients admitted to palliative care*. Palliat Med 28(5): 448-458, 2014.
- JAFFRAY L, BRIDGMAN H, STEPHENS M, SKINNER T: *Evaluating the effects of mindfulness-based interventions for informal palliative caregivers: a systematic literature review*. Palliat Med 30(2): 117-131, 2016.
- KISSANE DW, BLOCH S, MCKENZIE M ET AL: *Family grief therapy: a preliminary account of a new model to promote healthy family functioning during palliative care and bereavement*. Psychooncology 7: 14-25, 1998.
- KISSANE DW: *Psychospiritual and existential distress. The challenge for palliative care*. Aust Fam Physician 29(11): 1022-1025, 2000.
- KISSANE DW, CLARKE DM, STREET AF: *Demoralization syndrome - a relevant psychiatric diagnosis for palliative care*. J Palliat Care 17(1): 12-21, 2001.
- KISSANE DW, BLOCH S: *Family focused grief therapy: a model of family-centred care during palliative care and bereavement*. Open University Press, Buckingham e Filadelfia, 2002.
- KISSANE DW, MCKENZIE M, BLOCH S ET AL: *Family focused grief therapy: a randomized, controlled trial in palliative care and bereavement*. Am J Psychiatry 163(7): 1208-1218, 2006.
- KISSANE DW, GRABSCB B, CLARKE DM ET AL: *Supportive-expressive group therapy for women with metastatic breast cancer: survival and psychosocial outcome from a randomized controlled trial*. Psychooncology 16: 277-286, 2007.
- KISSANE DW, ZAIDER TI, LI Y ET AL: *Randomized controlled trial of family therapy in advanced cancer continued into bereavement*. J Clin Oncol 34(16): 1921-1927, 2016.
- LEMAY K, WILSON KG: *Treatment of existential distress in life threatening illness: a review of manualized interventions*. Clin Psychol Rev 28(3): 472-493, 2008.
- LOYD-WILLIAMS M, COBB M, O'CONNOR C ET AL: *A pilot randomised controlled trial to reduce suffering and emotional distress in patients with advanced cancer*. J Affect Disord 148: 141-145, 2013.
- LO C, HALES S, JUNG J ET AL: *Managing Cancer And Living Meaningfully (CALM): phase 2 trial of a brief individual psychotherapy for patients with advanced cancer*. Palliat Med 28(3): 234-242, 2014.
- LO C, HALES S, CHIU A ET AL: *Managing Cancer And Living Meaningfully (CALM): randomised feasibility trial in patients with advanced cancer*. BMJ Support Palliat Care 9(2): 209-218, 2019.
- MAERCKER A, LALOR J: *Diagnostic and clinical considerations in prolonged grief disorder*. Dialogues Clin Neurosci 14(2): 167-176, 2012.
- MARTÍNEZ M, ARANTZAMENDI M, BELAR A ET AL: *"Dignity therapy", a promising intervention in palliative care: a comprehensive systematic literature review*. Palliat Med 31(6): 492-509, 2017.
- MASTERSON MP, SCHULER TA, KISSANE DW: *Family focused grief therapy: a versatile intervention in palliative care and bereavement*. Bereavement Care 32: 117-123, 2013.
- MITCHELL SA: *Relational concepts in psychoanalysis*. Harvard University Press, Cambridge, 1988.
- MOADEL A, MORGAN C, FATONE A ET AL: *Seeking meaning and hope: self-reported spiritual and existential needs among an ethnically-diverse cancer patient population*. Psychooncology 8(5): 378-385, 1999.
- NANNI MG, BIANCOSINO B, GRASSI L: *Pre-loss symptoms related to risk of complicated grief in caregivers of terminally ill cancer patients*. J Affect Disord 160: 87-89, 2014.
- NIELSEN MK, NEERGAARD MA, JENSEN AB ET AL: *Do we need to change our understanding of anticipatory grief in caregivers? A systematic review of caregiver studies during end-of-life caregiving and bereavement*. Clin Psychol Rev 44: 75-93, 2016.
- NISSIM R, FREEMAN E, LO C ET AL: *Managing Cancer And Living Meaningfully (CALM): a qualitative study of a brief individual psychotherapy for individuals with advanced cancer*. Palliat Med 26(5): 713-721, 2012.
- NORTHHOUSE LL, KATAPODI MC, SONG L ET AL: *Interventions with caregivers of cancer patients: meta-analysis of randomized trials*. CA Cancer J Clin 60: 317-339, 2010.
- NORTHHOUSE LL, KATAPODI MC, SCHAFENACKER AM, WEISS D: *The impact of caregiving on the psychological well-being of family caregivers and cancer patients*. Semin Oncol Nurs 28(4): 236-245, 2012a.
- NORTHHOUSE LL, WILLIAMS A, GIVEN B, MCCORKLE R: *Psychosocial care for family caregivers of patients with cancer*. J Clin Oncol 30: 1227-1234, 2012b.
- OECHSLE K, WAIS MC, VEHLING S ET AL: *Relationship between symptom burden, distress, and sense of dignity in terminally ill cancer patients*. J Pain Symptom Manage 48: 313-321, 2014.

- OKUYAMA T, AKECHI T, MACKENZIE L, FURUKAWA TA: *Psychotherapy for depression among advanced, incurable cancer patients: a systematic review and meta-analysis*. *Cancer Treat Rev* 56: 16-27, 2017.
- ROBINSON S, KISSANE DW, BROOKER J, BURNEY S: *A review of the construct of demoralization: history, definitions, and future directions for palliative care*. *Am J Hosp Palliat Care* 33(1): 93-101, 2016.
- ROSENFELD B, SARACINO R, TOBIAS K ET AL: *Adapting meaning-centered psychotherapy for the palliative care setting: results of a pilot study*. *Palliat Med* 31(2): 140-146, 2017.
- ROSNER R, PFOH G, KOTOUČOVÁ M, HAGL M: *Efficacy of an outpatient treatment for prolonged grief disorder: a randomized controlled clinical trial*. *J Affect Disord* 167: 56-63, 2014.
- ROSNER R, BARTL H, PFOH G ET AL: *Efficacy of an integrative CBT for prolonged grief disorder: a long-term follow-up*. *J Affect Disord* 183: 106-112, 2015.
- RUDILLA D, GALIANA L, OLIVER A, BARRETO P: *Comparing counseling and dignity therapies in home care patients: a pilot study*. *Palliat Support Care* 14(4): 321-329, 2016.
- RUSO-NEITZER P, SCHULENBERG SE, BATHYANY A (EDS): *Clinical perspectives on meaning: positive and existential psychotherapy*. Springer, Cham (Svizzera), 2016.
- SANSON-FISHER R, GIRGIS A, BOYES A ET AL: *The unmet supportive care needs of patients with cancer*. *Supportive Care Review Group*. *Cancer* 88(1): 226-237, 2000.
- SCHEFFOLD K, PHILIPP R, ENGELMANN D ET AL: *Efficacy of a brief manualized intervention managing Cancer And Living Meaningfully (CALM) adapted to German cancer care settings: study protocol for a randomized controlled trial*. *BMC Cancer* 15: 592, 2015.
- SEALEY M, BREEN LJ, O'CONNOR M, AOUN SM: *A scoping review of bereavement risk assessment measures: implications for palliative care*. *Palliat Med* 29(7): 577-589, 2015.
- SEELEMAN C, SUURMOND J, STRONKS K: *Cultural competence: a conceptual framework for teaching and learning*. *Med Educ* 43: 229-237, 2009.
- SHAW C, CHRYSIKOU V, DAVIS S ET AL: *Inviting end-of-life talk in initial CALM therapy sessions: a conversation analytic study*. *Patient Educ Couns* 100(2): 259-266, 2017.
- SHEAR MK, FRANK E, HOUCK PR, REYNOLDS CF 3rd: *Treatment of complicated grief: a randomized controlled trial*. *JAMA* 293(21): 2601-2608, 2005a.
- SHEAR MK, SHAIR H: *Attachment, loss, and complicated grief*. *Dev Psychobiol* 47(3): 253-267, 2005b.
- SHEAR MK: *Complicated grief treatment: the theory, practice and outcomes*. *Bereave Care* 29(3): 10-14, 2010.
- SHEAR MK, SIMON N, WALL M ET AL: *Complicated grief and related bereavement issues for DSM-5*. *Depress Anxiety* 28(2): 103-117, 2011. doi: 10.1002/da.20780.
- SHEAR MK, GHESQUIERE A, GLICKMAN K: *Bereavement and complicated grief*. *Curr Psychiatry Rep* 15(11): 406, 2013.
- SHEAR MK, WANG Y, SKRITSKAYA N ET AL: *Treatment of complicated grief in elderly persons: a randomized clinical trial*. *JAMA Psychiatry* 71(11): 1287-1295, 2014.
- SHEAR MK, REYNOLDS CF 3rd, SIMON NM ET AL: *Optimizing treatment of complicated grief: a randomized clinical trial*. *JAMA Psychiatry* 73(7): 685-694, 2016. doi: 10.1001/jamapsychiatry.2016.0892.
- SIMON NM: *Treating complicated grief*. *JAMA* 310(4): 416-423, 2013.
- SPIEGEL D, YALOM ID: *A support group for dying patients*. *Int J Group Psychother* 28(2): 233-245, 1978.
- SPIEGEL D, BLOOM JR, YALOM I: *Group support for patients with metastatic cancer. A randomized outcome study*. *Arch Gen Psychiatry* 38(5): 527-533, 1981.
- SPIEGEL D, CLASSEN C: *Group therapy for cancer patients: a research-based handbook of psychosocial care*. Basic Books, New York, 2000.
- THOMPSON GN, CHOCHINOV HM: *Dignity-based approaches in the care of terminally ill patients*. *Curr Opin Support Palliat Care* 2(1): 49-53, 2008.
- TURK DC, FELDMAN CS: *Cognitive behavioural approach to symptom management in palliative care: augmenting somatic intervention*. In: CHOCHINOV HM, BREITBART WS (EDS), *Psychiatry in palliative medicine*. Oxford University Press, New York, II edizione, 470-489, 2009.
- WALLER A, TURON H, MANSFIELD E ET AL: *Assisting the bereaved: a systematic review of the evidence for grief counselling*. *Palliat Med* 30(2): 132-148, 2016.
- WATSON M, KISSANE D: *Handbook of psychotherapy in cancer care*. Wiley, Chichester (Regno Unito), 2011.
- WETHERELL JL: *Complicated grief therapy as a new treatment approach*. *Dialogues Clin Neurosci* 14(2): 159-166, 2012.
- WITTOUCK C, VAN AUTREVE S, DE JAEGERE E ET AL: *The prevention and treatment of complicated grief: a meta-analysis*. *Clin Psychol Rev* 31: 69-78, 2011.
- WORDEN JW: *Grief counseling and grief therapy. A handbook for the mental health practitioner*. Springer, New York, 2009.
- ZAIDER T, KISSANE D: *The assessment and management of family distress during palliative care*. *Curr Opin Support Palliat Care* 3(1): 67-71, 2009.

COMPLICANZE NEUROLOGICHE IN ONCOLOGIA

- HINCHEY J, CHAVES C, APPIGNANI B ET AL: *A reversible posterior leukoencephalopathy syndrome*. New Engl J Med 334: 494-500, 1996.
- JANSSEN S, BLOEM BR, VAN DE WARRENBURG BP: *The clinical heterogeneity of drug-induced myoclonus: an illustred review*. J Neurol 264: 1559-1566, 2017.
- MUNJAMPALLI SK, DAVIS DE: *Medicinal-induced behavior disorders*. Neurol Clin 34: 133-169, 2016.
- STRZELCZYK A, ZÖLLNER JP, WILLEMS LM ET AL: *Lacosamide in status epilepticus: systemic review of current evidence*. Epilepsia 58: 933-950, 2017.
- TRINKA E, BRIGO F, SHORVON S: *Recent advances in status epilepticus*. Current Opin Neurol 29: 189-198, 2016.
- TRINKA E, KÄLVIÄINEN R: *25 years of advances in definition, classification and treatment of status epilepticus*. Seizure 44: 65-73, 2017.

RIABILITAZIONE IN CURE PALLIATIVE

- BADGER C: *Lymphoedema: management of patients with advanced cancer*. Prof Nurse 2: 100, 1987.
- BARNES EA, BRUERA E: *Fatigue in patients with advanced cancer: a review*. Int J Gynecol Cancer 12: 424, 2002.
- BODY JJ, LOSSIGNOL D, RONSON A: *The concept of rehabilitation of cancer patients*. Curr Opin Oncol 9: 332, 1997.
- BONAPACE G, BRACCO F, BRIGNOLIO F ET AL: *Manuale pratico di fisiopatologia della deglutizione*. Omega, Torino, 1990.
- BRADDOM RL: *Physical medicine and rehabilitation*. Saunders, Filadelfia, 1996.
- BRANDEIS GH, MORRIS JN, NASH DJ, LIPSITZ LA: *The epidemiology and natural history of pressure ulcers in elderly nursing home residents*. JAMA 264: 2905, 1990.
- BUONOCORE M, BONEZZI C: *Principi di riabilitazione del paziente neoplastico*. In: BONADONNA G, ROBUSTELLI DELLA CUNA G (EDS), *Medicina oncologica*. Masson, Milano, VI edizione, 1999.
- CASLEY-SMITH JR, CASLEY-SMITH JR: *Venous disease, ulcers, palliative and geriatric care and acute injuries in modern treatment of lymphoedema*. The Lymphoedema Association in Australia, V edizione, 1997.
- DE LISA J, GANS B, CURRIE D (EDS): *Rehabilitation medicine: principles and practice*. Lippincott, Filadelfia, II edizione, 1993.
- FISHER SV, BOWAR JF, AWAD EA: *Cervical orthose effect on cervical spine motion: roentgenographic method and goniometric method of study*. Arch Phys Med Rehab 58: 109, 1977.
- GRAY RC: *The management of limb oedema in advanced cancer*. Nurs Times 2: 504, 1987.
- HARPER CM, LYLES YM: *Physiology and complications of bed rest*. J Am Geriatr Soc 36: 1047, 1988.
- JENKINS SC, SOUTAR SA, MOXHAM J: *The effects of posture on lung volumes in normal subjects and in patients pre- and post-coronary artery surgery*. Physiotherapy 74: 492, 1988.
- JOHNSON RM, HART DL, SIMMONS EF: *Cervical orthoses*. J Bone Joint Surg (Am) 59: 332, 1977.
- JOHNSON RM, OWEN JR, HART DL: *Cervical orthoses. A guide to their selection and use*. Clin Orthop Rel 154: 34, 1981.
- KISNER C, COLBY LA: *Therapeutic exercise: foundations and techniques*. Davis, Filadelfia, 1990.
- LEIGH IH, BENNET G: *Pressure ulcers: prevalence, etiology and treatment modalities. A review*. Am J Surg 167(suppl): 25s, 1994.
- LEVINSON SF: *Rehabilitation of the patient with cancer and human immunodeficiency virus*. In: DE LISA JA (ED), *Rehabilitation medicine: principles and practice*. Lippincott, Filadelfia, II edizione, 1993.
- REULER JB, COONEY TG: *The pressure sore: pathophysiology and principles of management*. Ann Inter Med 94: 661, 1981.
- VECHT CJ: *Arm pain in the patient with breast cancer*. J Pain Sympt Manag 5: 109, 1990.
- WITTLINGER H, WITTLINGER G: *Absolute contraindications*. In: WITTLINGER H, WITTLINGER G (EDS), *Textbook of Dr Vodder's manual lymph drainage. Vol I, Basic course*. Haug International, Bruxelles, V edizione, 1995.

TERAPIE COMPLEMENTARI

- AASGARD T: *An ecology of love: aspects of music therapy in the pediatric oncology environment*. Journal of Palliative Care 17(3): 177-181, 2001.
- AGNESE A, LAMPARELLI T, BACIGALUPO A, LUZZATTO P: *Supportive care with art therapy for patients in isolation during stem cell transplant*. Palliative Support Care 10(2): 91-98, 2012.
- BARONI M: *Musicoterapia in hospice. Comunicare quando non ci sono parole*. Rivista Italiana di Cure Palliative 1: 41-47, 2009.
- BARRERA ME, RYKOV MH, DOYLE SL: *The effects of interactive music therapy on hospitalized children with cancer: a pilot study*. Psychooncology 11: 379-388, 2002.
- BAR-SELA G, ATID L, DANOS S ET AL: *Art therapy improve depression and influenced fatigue levels in cancer patient on chemotherapy*. Psychooncology 16(11): 980-984, 2007.
- BRADT J, DILEO C, GROCKE D, MAGILL L: *Music intervention for improving psychological and physical outcomes in cancer patients*. Cochrane Database Syst Rev 8: CD006911, 2011.
- BRADT J, GOODILL SW, DILEO C: *Dance/movement therapy for improving psychological and physical outcomes in cancer patients*. Cochrane Database Syst Rev 10: CD007103, 2011. doi: 10.1002/14651858.CD007103.pub2.
- BRADT J, SHIM M, GOODILL SW: *Dance/movement therapy for cancer patients*. Cochrane Database Syst Rev 1: CD007103, 2015. doi: 10.1002/14651858.CD007103.pub3.
- BRADT J, DILEO C, MAGILL L, TEAGUE A: *Music intervention for improving psychological and physical outcomes in cancer patients*. Cochrane Database Syst Rev 8: CD006911, 2016.
- BROWN KW, RYAN RM: *The benefit of being present: mindfulness and its role in psychological well-being*. Journal of Personality and Social Psychology 84: 822-848, 2003.
- CARLSON LE, DOLL R, STEPHEN J ET AL: *Randomized controlled trial of mindfulness-based cancer recovery versus supportive expressive group therapy for distressed survivors of breast cancer*. J Clin Oncol 31(25): 3119-3126, 2013.
- CARR T, QUINLAN E, ROBERTSON S ET AL: *Yoga as palliation in women with advanced cancer: a pilot study*. International Journal of Palliative Nursing 22: 111-117, 2016.
- CARSON JW, CARSON KM, PORTER LS ET AL: *Yoga for women with metastatic breast cancer: results form a pilot study*. J Pain Sympt Management 33: 331-341, 2006.
- CASSILETH BR, VICKERS AJ: *Massage therapy for symptom control: outcome study at a major cancer center*. J Pain Symptome Manage 28: 244-249, 2004.
- CHAN A, TAN HL, CHING TH, TAN HC: *Clinical outcomes for cancer patients using complementary and alternative medicine*. Altern Ther Health Med 18(1): 12-17, 2012.
- CHAOU L, MILBURY K, SOOD AK ET AL: *Mind-body practices in cancer care*. Current Oncology Rep 16: 417, 2014.
- CHEN TH, TUNG TH, CHEN PS ET AL: *The clinical effects of aromatherapy massage on reducing pain for the cancer patients: a meta-analysis of randomized controlled trials*. Evidence-Based Complementary and Alternative Medicine. doi: 10.1155/2016/9147974. Epub 14 gennaio 2016.
- CHOI TY, LEE MS, KIM TH ET AL: *Acupuncture for the treatment of cancer pain: a systematic review of randomized clinical trials*. Support Care Cancer 20: 1147-1158, 2012.
- CLARK B, SIDEN H, STRAATMAN L: *An integrative approach to music therapy in pediatric palliative care*. Journal of Palliative Care 303: 178-187, 2014.
- COHEN SO, WALCO GA: *Dance/movement therapy for children and adolescent with cancer*. Cancer Practice 7(1): 34-42, 1999.
- CONNEL C: *Art therapy as part of palliative care programme*. Palliative Medicine 6: 18-25, 1992.
- CRAMER H, LAUCHE R, KLOSE P ET AL: *Yoga for improved health-related quality of life, mental health and cancer-related symptoms in women diagnosed with breast cancer*. Cochrane Database Syst Rev 1: CD010802, 2017. doi: 10.1002/14651858.CD010802.pub2.
- CRONFALK BS, STRANG P, TERESTEDT BM, FRIEDRICHSEN M: *The existential experiences of receiving soft tissue massage in palliative home care-an intervention*. Support Care Cancer 17: 1203-1211, 2009.
- CROZIER F, HANCOCK LE: *Pediatric palliative care: beyond the end of life*. Pediatric Nursing 38(4): 198-227, 2012.
- CUTSHALL S, CHA S, NESS S ET AL: *Symptom burden and integrative medicine in cancer survivorship*. Support Care Cancer 23(10): 2989-2994, 2015.
- DEAN-CLOWER E, DOHERTY-GILMAN AM, KESHAVIAH A ET AL: *Acupuncture as palliative therapy for physical symptoms and quality life for advanced cancer patients*. Integr Cancer Ther 9(2): 158-167, 2010.
- DEBUS M: *Medikamentöse Begleitbehandlung bei onkologischen Erkrankungen*. Der Merkurstab 4: 320-325, 2009.
- DELUCCHI M: *Trattamento omeopatico del malato terminale*. Il Medico Omeopata, 2015. https://www.li-brioomeopatia.it/articoli/terapia_omeopatica_fasi_terminali_vita.php.

- ENDRIZZI C, GHELLERI V, PALELLA M, D'AMICO G: *Movement psychotherapy in a hospice: two case studies*. *Body and Movement and Dance in Psychotherapy* 11(1): 46-59, 2016.
- FELLOWS D, BARNES K, WILKINSON S: *Aromatherapy and massage for symptom relief in patients with cancer*. *Cochrane Database Syst Rev* 2: CD002287, 2004.
- FELLOWS D, BARNES K, WILKINSON S: *Withdrawn: aromatherapy and massage for symptom relief in patients with cancer*. *Cochrane Database Syst Rev* 4: CD002287, 2008. doi: 10.1002/14651858.CD002287.pub3.
- FIELD T, HERNANDEZ-REIF M, DIEGO M ET AL: *Cortisol decreases and serotonin and dopamine increase following massage therapy*. *Int J Neurosci* 115: 1397-1413, 2005.
- FIELD T: *Touch for socioemotional and physical well-being: a review*. *Dev Rev* 30: 367-383, 2010.
- FJORBACK IO, WALACH H: *Meditation based therapies - a systematic review and some critical observations*. *Religious* 3: 1-18, 2012.
- GIRKE M: *Palliativmedizin*. *Der Merkurstab* 5: 416-423, 2017.
- GOODILL SW: *Dance/movement therapy in cancer care*. In: GOODILL SW (EDS), *An introduction to medical dance/movement therapy*. Jessica Kingsley Publisher, Londra e Filadelfia, 124-142, 2005.
- HALL DL, LUBERTO CM, PHILPOTTS LL ET AL: *Mind-body intervention for fear of cancer recurrence: a systematic review and meta-analysis*. doi: 10.1002/pon.4757.
- HANSEN NV, JØRGHESEN T, ØRTENBLAD L: *Massage and touch for dementia*. *Cochrane Database Syst Rev* 4: CD004989, 2006. doi: 10.1002/14651858.CD004989.pub2.
- HENNEGHAN AM, SCHNYER RN: *Biofield therapies for symptom management in palliative and end-of-life care*. *Am J Hosp Palliat Care* 32(1): 90-100, 2015.
- HEUSSER P, BRAUN SB, BERTSCHY M ET AL: *Palliative in-patient cancer treatment in an anthroposophic hospital: II. Quality of life during and after stationary treatment, and subjective treatment benefits*. *Forsch Komplement Med* 13(3): 156-166, 2006.
- HILLIARD RE: *Music therapy in hospice and palliative care: a review of the empirical data*. *Evidence-Based Complementary and Alternative Medicine* 2(2): 173-178, 2005.
- HILLIER SL, LOUW Q, MORRIS L ET AL: *Massage therapy for people with HIV/AIDS*. *Cochrane Database Syst Rev* 1: CD007502, 2010. doi: 10.1002/14651858.CD007502.pub2.
- HORNE-THOMPSON A, GROCKE D: *The effect of music therapy on anxiety in patients who are terminally ill*. *Journal of Palliative Medicine* 4: 582-590, 2008.
- KABAT-ZINN J: *An outpatient program in behavioural medicine for chronic pain patients based on the practice of mindfulness meditation: theoretical considerations and preliminary results*. *Gen Hosp Psychiatry* 4: 33-47, 1982.
- KLIGLER B, HOMEL P, HARRISON LB ET AL: *Cost saving in inpatient oncology through an integrative medicine approach*. *Am J Manage Care* 17(12): 779-784, 2011.
- KOHARA H, MIYAUCHI T, SUEHIRO Y ET AL: *Combined modality treatment of aromatherapy, footsoak, and reflexology relieves fatigue in patient with cancer*. *J Palliat Med* 7: 791-796, 2004.
- KOZAK LE, KAYES L, MCCARTY R ET AL: *Use of complementary and alternative medicine (CAM) by Washington State hospices*. *Am J Hosp Palliat Care* 25(6): 463-468, 2009.
- KUTNER JS, SMITH MC, CORBIN L ET AL: *Massage therapy versus simple touch to improve pain and mood in patients with advanced cancer: a randomized trial*. *Ann Intern Med* 149: 369-379, 2008.
- LENG G: *Use of acupuncture in hospices and palliative care services in the UK*. *Acupunct Med* 31(1): 16-22, 2013.
- LIM JT, WONG ET, AUNG SK: *Is there a role for acupuncture in the symptom management of patients receiving palliative care for cancer? A pilot study of 20 patients comparing acupuncture with nurse-led supportive care*. *Acupunct Med* 29(3): 173-179, 2011.
- LIN MH, MOH SL, KUO YC: *Art therapy for terminal cancer patients in a hospice palliative care unit in Taiwan*. *Palliative & Supportive Care* 10(1): 51-57, 2012.
- LUZZATTO P, GABRIEL B: *The creative journey: a model for short-term group art therapy with posttreatment cancer patients*. *Art Therapy Journal of the American Art Therapy Association* 17(4): 265-269, 2000.
- MARCHAND L: *Integrative and complementary therapies for patients with advanced*. *Ann Palliat Med* 3(3): 160-171, 2014.
- MARCHAND L: *Palliative and the end-of-life*. In: RACHEL D (ED), *Integrative medicine*. Elsevier, Amsterdam, IV edizione, 806-816, 2018. doi: <https://doi.org/10.1016/B978-0-323-35868-2.00082-7>.
- MASTRILLI P, NICOSIA R, SANTINELLO M: *Photovoice. Dallo scatto fotografico all'azione sociale*. Franco Angeli, Roma, 2013.
- MEIDELL L, RASMUSSEN BH: *Acupuncture as an optional treatment for hospice patients with xerostomia: an intervention study*. *International Journal of Palliative Nursing* 15(1): 12-20, 2009.
- MENDOZA ME, CAPAFONS A, GRALOW JR ET AL: *Randomized controlled trial of the Valencia model of waking hypnosis plus CBT for pain, fatigue, and sleep management in patients with cancer and cancer survivors*. *Psychooncology* 26(11): 1832-1838, 2017.
- MILES P, TRUE G: *Reiki-review of a biofield therapy history, theory, practice and research*. *Alter Ther* 9: 62-72, 2003.
- MIN AH KIM, JAEHEE YI, JINA SANG ET AL: *Experiences of Korean mothers of children with cancer: a photovoice study*. *Journal of Psychosocial Oncology* 35(2): 128-147, 2016. doi: 10.1080/07347332.2016.1263265.

- MOLASSIOTIS A, PAYNE S, WOOH MJM: *What research evidence is there for the use of art therapy in management of symptoms in adults with cancer. A systematic review.* Psychooncology 20(2): 135-145, 2011.
- MUSTIAN KM, ALFANO CM, HECKLER C ET AL: *Comparison of pharmaceutical, psychological, and exercise treatments for cancer-related fatigue a meta-analysis.* JAMA Oncol 3(7): 961-968, 2017.
- PALEY CA, BENNETT MI, JOHNSON MI: *Acupuncture for cancer-induced bone pain?* Evid Based Complement Alternat Med 2011: 671043, 2011. doi: 10.1093/ecam/nejq020. Epub 10 marzo 2011.
- PANIAGUA-COLLADO M, CAULI O: *Non-pharmacological interventions in patients with spinal cord compression: a systematic review.* J Neurooncol 136(3): 423-434, 2018.
- PLEVIN M, PARTELI L: *Time out of time: dance/movement therapy on the onco-hematology unit of a pediatric hospital.* American Journal of Dance Therapy 36(2): 229-246, 2014.
- POST-WHITE J, FITZGERALD M, SAVIK K ET AL: *Massage therapy for children with cancer.* J Pediatr Oncol Nurs 26: 16-28, 2009.
- RAGHAVENDRA RM, NAGARATHNA R, NAGENDRA HR ET AL: *Effects of an integrated yoga programme on chemotherapy-induced nausea and emesis in breast cancer patients.* Eur J Cancer Care 16(6): 462-474, 2007.
- RENZ M, SCHÜTT MAO M, CERNY T: *Spirituality, psychotherapy and music in palliative cancer care: research projects in psycho-oncology at an oncology center in Switzerland.* Support Care Cancer 13: 961-966, 2005.
- RILEY KE, PARK CL: *How does yoga reduce stress? A systematic review of mechanisms of change and guide to future inquiry.* Health Psychology Review 9(3): 379-396, 2015.
- ROCK CL, DOYLE C, DENMARK-WAHNEFREID W ET AL: *Nutrition and physical activity guidelines for cancer survivors.* CA Cancer J Clin 62: 243-274, 2012.
- RUSSELL NC, SUMLER SS, BEINHORN CM, FRENKEL MA: *Role of massage therapy in cancer care.* J Altern Complement Med 14(2): 209-214, 2008.
- SAGAR SM, DRYDEN T, WONG RK: *Massage therapy for cancer patient; a reciprocal relationship between body and mind.* Current Oncology 14(2): 45-56, 2007.
- SCHÜTZE T, LÄNGLER A, ZUZAK TJ ET AL: *Use of complementary and alternative medicine by pediatric oncology patients during palliative care.* Support Care Cancer 24(7): 2869-2875, 2016. doi: 10.1007/s00520-016-3097-2.
- SCOTTÉ F: *The importance of supportive care in optimizing treatment outcomes of patients with advanced prostate cancer.* Oncologist 17(1): 23-30, 2012.
- SO PS, JIANG Y, QIN Y: *Touch therapies for pain relief in adults.* Cochrane Database Syst Rev 4: CD006535, 2008.
- SODEN K, VINCENT K, CRASKE S ET AL: *A randomized controlled trial of aromatherapy massage in a hospital setting.* Palliative Medicine 18: 87-92, 2010.
- STANDISH LJ, KOZAK L, CONGDON S: *Acupuncture is under utilized in hospice and palliative medicine.* Am J Hosp Palliat Care 25(4): 298-308, 2008.
- STEVENS R, SPEARS EH: *Incorporating photography as a therapeutic tool in counseling.* Journal of Creativity in Mental Health 4(1): 3-16, 2009.
- TAKEDA M, TANAKA T, OKOCHI M, KAZUI H: *Non-pharmacological intervention for dementia patients.* Psychiatry and Clinical Neurosciences 66(1): 1-7, 2012.
- TALARICO F, PULLANO CM, CARBONE A ET AL: *Confronto tra terapia palliativa convenzionale e trattamento omeopatico personalizzato dei pazienti oncologici.* Il Medico Omeopata, 2014. http://www.ilmedicoomeopata.it/wp-content/uploads/2014/07/MO_56_65-80_Clinica_4.pdf.
- TAN SB, CAPELLE DP, ZAINAL NZ ET AL: *Mindfulness: a new paradigm of psychosocial care in the palliative care setting in Southeast Asia.* Ann Acad Med Singapore 46: 339-346, 2017.
- THOMAS R, PHILLIPS M, HAMILTON RJ: *Pain management in the pediatric palliative care population.* Journal of Nursing Scholarship 50: 375-382, 2018.
- THRANE SE, MAURER SH, REN D ET AL: *Reiki therapy for symptom management in children receiving palliative care: a pilot study.* Am J Hosp Palliat Care 34(4): 373-379, 2017.
- TOWLER P, MOLASSIOTIS A, BREARLEY SG: *What is the evidence for the use of acupuncture as an intervention for symptom management in cancer supportive and palliative care: an integrative overview of reviews.* Support Care Cancer 21(10): 2913-2923, 2013.
- ÜLGER Ö, YAĞH NV: *Effects of yoga on the quality of life in cancer patients.* Complementary Therapies in Clinical Practice 16: 60-63, 2010.
- VANDERGRIFT A: *Use of complementary therapies in hospice and palliative care.* Omega 67(1): 227-232, 2013.
- WANG R, LIU J, CHEN P, YU D: *Regular tai chi exercise decreases the percentage of type 2 cytokine-producing cells in postsurgical non-small cell lung cancer survivors.* Cancer Nurs 36(4): E27-E34, 2013.
- YAN JH, PAN L, ZHANG XM ET AL: *Lack of efficacy of tai chi in improving quality of life in breast cancer survivors: a systematic review and meta-analysis.* Asian Pac J Cancer Prev 15(8): 3715-3720, 2014.
- ZENG Y, LUO T, XIE H ET AL: *Health benefits of qigong or tai chi for cancer patients: a systematic review and meta-analysis.* Complement Ther Med 22(1): 173-186, 2014.
- ZUO X, LI Q, GAO F ET AL: *Effects of yoga on negative emotions in patients with breast cancer: a meta-analysis of randomized controlled trials.* International Journal of Nursing Sciences 3: 299-306, 2016.

ASPETTI GESTIONALI DELLE RETI DI CURE PALLIATIVE

- ALDRIDGE MD, BRADLEY EH: *Epidemiology and patterns of care at the end of life: rising complexity, shifts in care patterns and sites of death*. *Health Affairs* 36(7): 1175-1183, 2017.
- ALLSOP MJ, TAYLOR S, MULVEY MR ET AL: *Information and communication technology for managing pain in palliative care: a review of the literature*. *BMJ Support Palliat Care* 0: 1-9, 2014.
- ANDERSEN D: *Vision management*. *European Management Journal* 5(1): 24-28, 1987.
- ASPREY A, RICHARDS SH, WRIGHT C ET AL: *Transferring information to an out-of-hours primary care service for patients with palliative care needs: an action research study to improve the use of handover forms*. *Prim Health Care Res Dev* 14(1): 7-20, 2013.
- BOYD K, MURRAY SA: *Recognising and managing key transitions in end of life care*. *BMJ* 341: c4863, 2010.
- CHEN R, SNYDER M: *Promise of personalized omics to precision medicine*. *Wiley interdisciplinary reviews. Systems Biology and Medicine* 5(1): 73-82, 2013.
- DOWNAR J, GOLDMAN R, PINTO R ET AL: *The "surprise question" for predicting death in seriously ill patients: a systematic review and meta-analysis*. *CMAJ* 189(13): E484-E493, 2017.
- EAGAR K, GREEN J, GORDON R: *An Australian casemix classification for palliative care: technical development and results*. *Palliat Med* 18(3): 217-226, 2004.
- GÓMEZ-BATISTE X ET AL: *Identifying needs and improving palliative care of chronically ill patients: a community-oriented, population-based, public-health approach*. *Curr Opin Support Palliat Care* 6: 371-378, 2012.
- GOTT M, SEYMOUR J, INGLETON C ET AL: *That's part of everybody's job: the perspectives of health care staff in England and New Zealand on the meaning and remit of palliative care*. *Palliative Medicine* 26(3): 232-241, 2012.
- GREER JA, PIRL WF ET AL: *Effect of early palliative care on chemotherapy use and end-of-life care in patients with metastatic non-small-cell lung cancer*. *J Clin Oncol* 30: 394-400, 2012.
- HAN CJ: *A concept analysis of personalized health care in nursing*. *Nurs Forum* 51(1): 32-39, 2016.
- HUGHES-HALLETT T, CRAFT A ET AL: *Palliative care funding review, 2011*. https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/215107/dh_133105.pdf.
- KIVINEN T, LAMMINTAKANEN J: *The success of a management information system in health care - A case study from Finland*. *Int J Med Inform* 82(2): 90-97, 2013.
- MCNAMARA BA, ROSENWAX LK ET AL: *Early admission to community-based palliative care reduces use of emergency departments in the ninety days before death*. *J Pall Medicine* 16: 7, 2013.
- TEMEL JS, GREER JA, MUZIKANSKY A ET AL: *Early palliative care for patients with metastatic non-small-cell lung cancer*. *N Engl J Med* 363: 733-734, 2010.
- THOMAS K: *Prognostic Indicators Guidance (PIG)*. The Gold Standards Framework Centre in End of Life Care CIC, Shrewsbury (Regno Unito), IV edizione, 2011.
- WAGNER EH, AUSTIN BT, DAVIS C ET AL: *Improving chronic illness care: translating evidence into action*. *Health Aff (Millwood)* 20(6): 64-67, 2001.

Letteratura grigia

- Carta dei diritti del bambino morente - Carta di Trieste*. Fondazione Maruzza Lefebvre D'Ovidio ONLUS, 2014.
- Government of Canada and Canadian Hospice Palliative Care Association: *The way forward national framework: a roadmap for an integrated palliative approach to care*. www.hpcintegration.ca.
- Gruppo di lavoro interdirezionale di coordinamento regionale per la rete di cure palliative, ai sensi della DGR IX/4610/2012 - decreto numero 5998 del 16 luglio 2015. Sottogruppo: *Integrazione dei modelli organizzativi socio-sanitario e sanitario in attuazione della DGR IX/4610/2012* - Documentazione di approfondimento.
- Kaiser Family Foundation/The Economist: *Four-country survey on aging and end-of-life medical care*, 2016.
- OHTAC Recommendation - Ontario Health Technology Advisory Committee: *End-of-life health care in Ontario*, dicembre 2014.
- Rapporto Osservasalute 2017, *Osservatorio nazionale sulla salute nelle regioni italiane*.
- The palliative approach: improving care for Canadians with life-limiting illnesses*. <http://hpcintegration.ca/media/38753/TWF-palliative-approach-report-English-final2.pdf>.

Sitografia

- EUROSTAT: <https://ec.europa.eu/eurostat>.
- ISTAT: <https://www.istat.it/>.
- MINISTERO DELLA SALUTE: www.salute.gov.it.

VALORIZZAZIONE ECONOMICA DEI PERCORSI DI CURA

- CHAI H, GUERRIERE DN, ZAGORSKI B, COYTE PC: *The magnitude, share and determinants of unpaid care costs for home-based palliative care service provision in Toronto, Canada*. Health Soc Care Community 22(1): 30-39, 2014.
- GAMBINA G ET AL: *Analisi del costo sociale delle persone affette da malattia di Alzheimer assistite a domicilio: l'esperienza veronese*. Politiche Sanitarie 4(2): 59-70, 2003.
- HALTIA O, FÄRKKILÄ N, ROINE RP ET AL: *The indirect costs of palliative care in end-stage cancer: a real-life longitudinal register- and questionnaire-based study*. Palliat Med 32(2): 493-499, 2018.
- HOEFMAN RJ, VAN EXEL J, BROUWER W: *How to include informal care in economic evaluations*. Pharmacoeconomics 31(12): 1105-1119, 2013.
- JÖNSSON L, WIMO A: *The cost of dementia in Europe: a review of the evidence, and methodological considerations*. Pharmacoeconomics 27(5): 391-403, 2009.
- MAY P, GARRIDO MM, CASSEL JB ET AL: *Cost analysis of a prospective multi-site cohort study of palliative care consultation teams for adults with advanced cancer: where do cost-savings come from?* Palliat Med 31(4): 378-386, 2017.
- SMITH K, WRIGHT K: *Informal care and economic appraisal: a discussion of possible methodological approaches*. Health Econ 3(3): 137-148, 1994.
- SMITH S, BRICK A, O'HARA S, NORMAND C: *Evidence on the cost and cost-effectiveness of palliative care: a literature review*. Palliat Med 28(2): 130-150, 2014.
- TORGERSON DJ, DONALDSON C, REID DM: *Private versus social opportunity cost of time: valuing time in the demand for health care*. Health Econ 3(3): 149-155, 1994.
- WICHMANN AB, ADANG EM, STALMEIER PF ET AL; PACE: *The use of quality-adjusted life years in cost-effectiveness analyses in palliative care: mapping the debate through an integrative review*. Palliat Med 31(4): 306-322, 2017.
- YU M, GUERRIERE DN, COYTE PC: *Societal costs of home and hospital end-of-life care for palliative care patients in Ontario, Canada*. Health Soc Care Community 23(6): 605-618, 2015.

TERZO SETTORE NELLE CURE PALLIATIVE IN ITALIA

- ARCÀ S, BELLENTANI MD, CANCIAN M ET AL: *Indagine nazionale sulle cure palliative domiciliari*. In: *Le cure palliative domiciliari in Italia. Strumenti di conoscenza per una strategia condivisa nell'attuazione della legge 38*. Agenas, Quaderni di Monitor 26(suppl 7), 2010. https://www.agenas.gov.it/images/agenas/monitor/quaderno/pdf/9_LE_CURE_PALIATIVE.pdf.
- CAMERA DEI DEPUTATI: *Riforma del terzo settore*, 2 gennaio 2019. <http://www.camera.it/temiap/documentazione/temi/pdf/1105128.pdf>.
- CHRISTENSEN K, DOBLHAMMER G, RAU R ET AL: *Ageing populations: the challenges ahead*. *Lancet* 374: 1196-1208, 2009. doi: 10.1016/S0140-6736(09)61460-4.
- COSTITUZIONE DELLA REPUBBLICA ITALIANA, dicembre 2012, articolo 118.
- CRIPPA FLORIANI F: *Organizzazioni non profit nelle cure palliative: situazione italiana*. In: AMADORI D, CORLI O, DE CONNO F ET AL (EDS), *Libro italiano di cure palliative*. Poletto, Vermezzo (Milano), II edizione, 533-537, 2007.
- DECRETO LEGISLATIVO NUMERO 40, 6 MARZO 2017: *Riforma del servizio civile*. <https://www.gazzettaufficiale.it/eli/id/2017/04/03/17G00053/sg>.
- DECRETO LEGISLATIVO 111/2017: *Disciplina del cinque per mille dell'imposta sul reddito delle persone fisiche*. <https://www.gazzettaufficiale.it/eli/id/2017/07/18/17G00122/sg>.
- DECRETO LEGISLATIVO 112/2017: *Revisione della disciplina in materia di impresa sociale*. <https://www.gazzettaufficiale.it/eli/id/2017/07/19/17G00124/sg>.
- DECRETO LEGISLATIVO 117/2017: *Codice del terzo settore*. <https://www.gazzettaufficiale.it/eli/id/2017/08/2/17G00128/sg>.
- DECRETO LEGISLATIVO NUMERO 43, 13 APRILE 2018: *Disposizioni integrative e correttive al decreto legislativo 6 marzo 2017, numero 40, concernente "Istituzione e disciplina del servizio civile universale, a norma dell'articolo 8, legge 6 giugno 2016, numero 106"*. *Gazzetta Ufficiale* 4 maggio 2018, serie generale numero 102. <https://www.gazzettaufficiale.it/eli/id/2018/05/04/18G00068/sg>.
- DECRETO PRESIDENTE DELLA REPUBBLICA 28 LUGLIO 2017: *Statuto della Fondazione Italia Sociale*. <https://www.gazzettaufficiale.it/eli/id/2017/09/09/17A06261/sg>.
- DELIBERA GIUNTA REGIONALE NUMERO 5918, 28 NOVEMBRE 2016: *Evoluzione del modello organizzativo delle cure palliative lombarde*. <http://www.fedcp.org/norme-regionali/987-lombardia-dgr-5918-del-28-11-2016-evoluzione-del-modello-organizzativo-delle-cure-palliative-lombarde.html>.
- ISTAT: *Rapporto annuale 2013 - la situazione del paese*, 2013. https://www.istat.it/it/files/2013/05/Rapporto-annuale_2013.pdf.
- ISTAT: *Rapporto annuale 2016 - la situazione del paese*, 2016. <https://www.istat.it/it/files/2016/05/Ra2016.pdf>.
- ISTAT: *Rapporto annuale 2018 - la situazione del paese*, 2018. <https://www.istat.it/storage/rapporto-annuale/2018/Rapportoannuale2018.pdf>.
- LEGGE NUMERO 39, 26 FEBBRAIO 1999: *Conversione in legge, con modificazioni, del decreto-legge 28 dicembre 1998, numero 450, recante disposizioni per assicurare interventi urgenti di attuazione del Piano sanitario nazionale 1998-2000*. <https://www.gazzettaufficiale.it/eli/id/1999/02/27/099G0090/sg>.
- LEGGE NUMERO 38, 15 MARZO 2010: *Disposizioni per garantire l'accesso alle cure palliative e alla terapia del dolore*. <https://www.gazzettaufficiale.it/gunewsletter/dettaglio.jsp?service=1&datagu=2010-03-19&task=dettaglio&numgu=65&redaz=010G0056&tmstp=1269600292070>.
- LEGGE NUMERO 106, 6 GIUGNO 2016: *Delega al Governo per la riforma del terzo settore, dell'impresa sociale e per la disciplina del servizio civile universale*. <https://www.gazzettaufficiale.it/eli/id/2016/06/18/16G00118/sg>.
- MORIN L, AUBRY R, FROVA L ET AL: *Estimating the need for palliative care at the population level: a cross-national study in 12 countries*. *Palliative Medicine* 31: 526-536, 2017.
- MURTAGH FE, BAUSEWEIN C, VERNE J ET AL: *How many people need palliative care? A study developing and comparing methods for population-based estimates*. *Palliative Medicine* 28: 49-58, 2014.
- ORGANIZZAZIONE MONDIALE DELLA SANITÀ: *Global strategy on people-centred and integrated health services*. OMS, Ginevra, 2015. https://apps.who.int/iris/bitstream/handle/10665/155002/WHO_HIS_SDS_2015.6_eng.pdf?sequence=1.
- PELLTARI L, SCOTT R: *EAPC task force on volunteering: what progress has been made?* *European Journal Of Palliative Care* 22(6), 2015. http://www.fedcp.org/images/news/eapc_ingl.pdf.
- SCACCABAROZZI G, PERUSELLI C, LOVAGLIO P ET AL: *Accanto al malato oncologico e alla sua famiglia: sviluppare cure domiciliari di buona qualità*. Agenas, Roma, 2010.
- Schema di Intesa tra il Ministro della Salute, le Regioni e le Province Autonome di Trento e Bolzano, 25 luglio 2012 (*Requisiti minimi*). <http://www.fedcp.org/normative-nazionale/101-schema-di-intesa-tra-il-ministro-della-salute-le-regioni-e-le-province-autonome-di-trento-e-bolzano-25-luglio-2012-requisiti-minimi.html>.

- UNIVERSITÀ CATTOLICA: *Osservatorio nazionale sulla salute nelle regioni italiane*, 2016. <https://www.osservatoriosullasalute.it/wp-content/uploads/2017/05/ro-2016.pdf>.
- ZUCCO F (ED): *Hospice in Italia. Prima rilevazione ufficiale*, 2006. http://www.salute.gov.it/imgs/C_17_pubblicazioni_716_allegato.pdf.
- ZUCCO F: *Un modello per politiche innovative in sanità e in ambito sociale*, Risoluzione 1649, 28 gennaio 2009 dell'Assemblea Parlamentare del Consiglio d'Europa. Medica Editoria, Milano, 2010. <https://www.presenzamica.it/>.

FORMAZIONE CONTINUA IN CURE PALLIATIVE: ESPERIENZE REGIONALI A CONFRONTO

- LEGGE NUMERO 38, 15 MARZO 2010: *Disposizioni per garantire l'accesso alle cure palliative e alla terapia del dolore*. <http://www.parlamento.it/parlam/leggi/100381.htm>.
- DECRETO MINISTERIALE, 4 APRILE 2012: *Istituzione del master universitario di alta formazione e qualificazione in cure palliative*. http://www.gazzettaufficiale.it/atto/serie_generale/caricaDettaglioAtto/originario?atto.dataPubblicazioneGazzetta=2012-04-16&atto.codiceRedazionale=12A04291&elenco30giorni=false.
- DELIBERA GIUNTA REGIONALE NUMERO IX/4610/2012, 28 DICEMBRE 2012, REGIONE LOMBARDIA: *Determinazioni in ordine alla rete di cure palliative e alla rete di terapia del dolore in regione Lombardia in applicazione della legge 38 del 15 marzo 2010 "Disposizioni per garantire l'accesso alle cure palliative e alla terapia del dolore"*. http://www.fedcp.org/images/normativeReg/Lombardia_DGR_4610_28122012.pdf.
- DECRETO MINISTERO DELLA SALUTE, 28 MARZO 2013: *Modifica e integrazione delle tabelle A e B di cui al decreto 30 gennaio 1998, relative ai servizi e alle specializzazioni equipollenti*. <http://www.gazzettaufficiale.it/eli/id/2013/04/22/13A03440/sg>.
- DETERMINA CNFC (COMMISSIONE NAZIONALE FORMAZIONE CONTINUA), 17 LUGLIO 2013: *Esoneri, esenzioni, tutoraggio individuale, formazione all'estero, autoapprendimento, modalità di registrazione e certificazione*. http://ape.agenas.it/documenti/Normativa/determina_17_07_2013.pdf.
- ACCORDO IN CSR, 10 LUGLIO 2014 (REPERTORIO ATTI NUMERO 87/CSR): *Accordo ai sensi dell'articolo 5, comma 2, della legge 15 marzo 2010, numero 38 tra governo, regioni e province autonome di Trento e Bolzano di individuazione delle figure professionali competenti nel campo delle cure palliative e della terapia del dolore, nonché delle strutture sanitarie, ospedaliere e territoriali e assistenziali coinvolte nelle reti delle cure palliative e della terapia del dolore*. <http://www.camera.it/temiap/2014/07/29/OCD177-397.pdf>.
- DECRETO MINISTERO DELLA SALUTE, 4 GIUGNO 2015: *Individuazione dei criteri per la certificazione dell'esperienza triennale nel campo delle cure palliative dei medici in servizio presso le reti dedicate alle cure palliative pubbliche o private accreditate, di cui alla legge 27 dicembre 2013, numero 147, comma 425*. <http://www.quotidiano-sanita.it/allegati/allegato763218.pdf>.
- NOTA PROTOCOLLO NUMERO 34085, 15 APRILE 2016, DASOE (DIPARTIMENTO PER LE ATTIVITÀ SANITARIE E OSSERVATORIO EPIDEMIOLOGICO) REGIONE SICILIA: *Identificazione dell'ASP di Trapani quale azienda capofila per l'ambito "Formazione"*. (Non reperibile sul web, ma su richiesta agli autori).
- NOTA DIREZIONE GENERALE WELFARE PROGRAMMAZIONE RETE TERRITORIALE, REGIONE LOMBARDIA: *Secondo indicazioni operative per la riclassificazione delle unità di offerta cure palliative ai sensi della DGR numero X/5918/16, giugno 2016*. (Non reperibile sul web, ma su richiesta diretta alla direzione generale welfare o agli autori).
- DELIBERA GIUNTA REGIONALE NUMERO X/5455/2016, 25 LUGLIO 2016, REGIONE LOMBARDIA: *Realizzazione dei percorsi formativi per i professionisti delle reti di cure palliative e di terapia del dolore, in attuazione dell'accordo numero 87/CSR, 10 luglio 2014: approvazione del progetto di Eupolis Lombardia*. http://www.fedcp.org/images/news/26del_5455_eupolis.pdf.
- DELIBERA GIUNTA REGIONALE NUMERO X/5918, 28 NOVEMBRE 2016, REGIONE LOMBARDIA: *Disposizioni in merito all'evoluzione del modello organizzativo della rete delle cure palliative della Lombardia: integrazione dei modelli organizzativi sanitario e sociosanitario*. http://www.fedcp.org/images/normativeReg/Lombardia_DGR_5918_28.11.2016.pdf.
- REGIONE EMILIA-ROMAGNA, DOSSIER NUMERO 258/2016: *Dossier formativo di gruppo in Emilia-Romagna*. <http://assr.regione.emilia-romagna.it/servizi/pubblicazioni/dossier/doss258>.
- DELIBERA GIUNTA REGIONALE NUMERO 429, 6 APRILE 2017, LEGGE REGIONALE NUMERO 7, 19 MARZO 2009, REGIONE VENETO: *Disposizioni per garantire cure palliative ai malati in stato di inguaribilità avanzata o a fine vita e per sostenere la lotta al dolore*. <https://bur.regione.veneto.it/BurVServices/Pubblica/DettaglioDgr.aspx?id=343063>.
- DELIBERA GIUNTA REGIONALE NUMERO 553, 30 APRILE 2018, REGIONE VENETO: *Approvazione del percorso integrato di cura a supporto dello sviluppo della rete di cure palliative in età adulta ai sensi della DGR numero 208, 28 febbraio 2017 a oggetto "Individuazione del modello assistenziale di rete delle cure palliative e della terapia del dolore della regione Veneto. Piano sociosanitario regionale 2012-2016 (legge regionale 29 giugno 2012, numero 23). Deliberazione numero 109/CR, 9 dicembre 2015"*. <https://bur.regione.veneto.it/BurVServices/pubblica/DettaglioDgr.aspx?id=369206>.
- DELIBERA GIUNTA REGIONALE NUMERO XI/1046, 17 DICEMBRE 2018, REGIONE LOMBARDIA: *Determinazioni in ordine alla*

- gestione del servizio sociosanitario per l'esercizio 2019*. https://www.ordinefarmacistimilano.it/files/documents/dgr_1046_regole2019.pdf.
- LEGGE NUMERO 145, ARTICOLO 1, COMMA 522, 30 DICEMBRE 2018: *Bilancio di previsione dello Stato per l'anno finanziario 2019 e bilancio pluriennale per il triennio 2019-2021*. <http://www.gazzettaufficiale.it/eli/gu/2018/12/31/302/so/62/sg/pdf>.
- RAPPORTO AL PARLAMENTO SULLO STATO DI ATTUAZIONE DELLA LEGGE 38 (2015-2017): *Disposizioni per garantire l'accesso alle cure palliative e alla terapia del dolore*. http://www.salute.gov.it/portale/documentazione/p6_2_2_1.jsp?lingua=italiano&id=2814.

Principali trial clinici sull'uso della radioterapia stereotassica in differenti distretti corporei

- CASAMASSIMA F, LIVI L, MASCIULLO S ET AL: *Stereotactic radiotherapy for adrenal gland metastases: University of Florence experience*. Int J Radiation Oncology Biol Phys 82(2): 919-923, 2012. doi: 10.1016/j.ijrobp.2010.11.060.
- CHANG EL, SHIU AS, MENDEL E ET AL: *Phase I/II study of stereotactic body radiotherapy for spinal metastasis and its pattern of failure*. J Neurosurg Spine 7: 151-160, 2007. doi: 10.3171/SPI-07/08/151.
- CHAWLA S, CHEN Y, KATZ AW ET AL: *Stereotactic body radiotherapy for treatment of adrenal metastases*. Int J Radiation Oncology Biol Phys 75(1): 71-75, 2009. doi: 10.1016/j.ijrobp.2008.10.079.
- CHOI CW, CHO CK, YOO SY ET AL: *Image-guided stereotactic body radiation therapy in patients with isolated para-aortic lymph node metastases from uterine cervical and corpus cancer*. Int J Radiation Oncology Biol Phys 74(1): 147-153, 2009. doi: 10.1016/j.ijrobp.2008.07.020.
- GERSZTEN PC, BURTON SA, OZHASOGLU C, WELCH WC: *Radiosurgery for spinal metastases: clinical experience in 500 cases from a single institution*. Spine 32(2): 193-199, 2007.
- GIBBS IC, KAMNERDUPAPHON P, RYU MR ET AL: *Image-guided robotic radiosurgery for spinal metastases*. Radiotherapy and Oncology 82: 185-190, 2007. doi: 10.1016/j.radonc.2006.11.023.
- HOYER M, ROED H, HANSEN AT ET AL: *Phase II study on stereotactic body radiotherapy of colorectal metastases*. Acta Oncologica 45: 823-830, 2006. doi: 10.1080/02841860600904854.
- JERECZEK-FOSSA BA, FARISELLI L, BELTRAMO G ET AL: *Linac-based or robotic image-guided stereotactic radiotherapy for isolated lymph node recurrent prostate cancer*. Radiotherapy and Oncology 93: 14-17, 2009. doi: 10.1016/j.radonc.2009.04.001.
- LEE MT, KIM JJ, DINNIWELL R ET AL: *Phase I study of individualized stereotactic body radiotherapy of liver metastases*. Journal of Clinical Oncology 27(10): 1585-1591, 2009. doi: 10.1200/JCO.2008.20.0600.
- OKUNIEFF P, PETERSEN AL, PHILIP A ET AL: *Stereotactic Body Radiation Therapy (SBRT) for lung metastases*. Acta Oncologica 45: 808-817, 2006. doi: 10.1080/02841860600908954.
- ONIMARU R, SHIRATO H, SHIMIZU S ET AL: *Tolerance of organs at risk in small-volume, hypofractionated, image-guided radiotherapy for primary and metastatic lung cancers*. Int J Radiation Oncology Biol Phys 56(1): 126-135, 2003. doi: 10.1016/S0630-3016(03)00095-6.
- RICARDI U, FILIPPI AR, GUARNERI A ET AL: *Stereotactic body radiation therapy for lung metastases*. Lung Cancer 75: 77- 81, 2012. doi: 10.1016/j.lungcan.2011.04.021.
- RUSTHOVEN KE, KAVANAGH BD, CARDENES H ET AL: *Multi-institutional phase I/II trial of stereotactic body radiation therapy for liver metastases*. Journal of Clinical Oncology 27(10): 1572-1578, 2009. doi: 10.1200/JCO.2008.19.6329.
- RYU S, FANG YIN F, ROCK J ET AL: *Image-guided and intensity-modulated radiosurgery for patients with spinal metastasis*. Cancer 97(8): 2013-2018, 2013. doi: 10.1002/cncr.11296.
- YAMADA Y, BILSKY MH, LOVELOCK M ET AL: *High-dose, single-fraction image-guided intensity-modulated radiotherapy for metastatic spinal lesions*. Int J Radiation Oncology Biol Phys 71(2): 484-490, 2008. doi: 10.1016/j.ijrobp.2007.11.046.
- YOON SM, CHOI EK, LEE SW ET AL: *Clinical results of stereotactic body frame based fractionated radiation therapy for primary or metastatic thoracic tumors*. Acta Oncologica 45: 1108-1114, 2006. doi: 10.1080/02841860600812685.

Studi sull'incidenza dei principali sintomi alla fine della vita nei pazienti con scompenso cardiaco

- LEVENSON JW, Mc CARTHY EP, LYNN J ET AL: *The last six months of life for patients with congestive heart failure*. J Am Geriatr Soc 48(suppl): 101-109, 2000.
- NELSON J, MEIER D, LITKE A ET AL: *The symptom burden of chronic critical illness*. Crit Care Med 32: 1527-1534, 2004.
- NORDGREN LF, SORENSEN S: *Symptoms experienced in the last six months of life in patients with end-stage heart failure*. Eur J Cardiovasc Nurs 2: 213-217, 2003.
- RSCD, McCARTHY M, LAY M, ADDINGTON-HALL J: *Dying from heart disease*. J R Coll Physicians Lond 30: 325-328, 1996.
- SINGER AE, MEEKER D, TENO JM ET AL: *Symptom trends in the last year of life, 1998-2010: a cohort study*. Ann Intern Med 162: 175-183, 2015.
- SUPPORT PRINCIPAL INVESTIGATORS: *A controlled trial to improve care for seriously ill hospitalized patients. The Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments (SUPPORT)*. JAMA 274: 1591-1598, 1995.
- ZAMBROSKI CH, MOSER DK, BHAT G, ZIEGLER C: *Impact of symptom prevalence and symptom burden on quality of life in patients with heart failure*. Eur J Cardiovasc Nurs 4: 198-206, 2005.